		WATER W	ELL RECOR	RD Fo	rm WW	/C-5 K	SA 82a-12 ⁻	12			
1 LOCATION OF WATER		FRACTION			SECT	ION NUMBER		PNUMBER	RANGE N		
Sedgwick	NE				1/4	11	Т 2	7 s	R 21	C E/W	
Distance and direction from			-	?							
1906 N. Clearc			a, Kansas								
2 WATER WELL OV		CHIE BUILD						Board of Ago	culture Division of V	Vater Resource	
RR#,ST. ADDRESS,E	**** 1 to #2							Board of Agriculture, Division of Water Resource			
CITY, S	TATE: Wich	ita, Kansas			ZIF	CODE:		Application Num	ber:		
3 LOCATE WELL'S LOC	ATION 4 C	DEPTH OF COMP	PLETED WELL:	98	ft.		ELEVATION:				
WITH AN "X" IN SECT	Dep	th of groundwate	er Encountered:		ft.			ft.		ft.	
	WE	LL'S STATIC W	ATER LEVEL	40 F	T. BELO	W LAND SU	JRFACE MEASU	JRED ON mo/d	ay/yr: 7/15	5/08	
NW	- NE	Pu	ımp test data:	Well water	was		ft. after	hours	of pumping @	gpn	
i i ix	1	Est. Yield:	gpm	Well water	was		ft. after	hours	of pumping @	gpm	
W Mile	––––E Bo	ore Hole Diamete	r 12 in.		to 9	8 ft.	and	in.	to	ft.	
-	WE	LL WATER TO						9. Dewaterii	ng 11. Inje	ction well	
sw	-SE 1.	Domestic 3	. Feedlot 5. Po	ublic water	supply '	7. Lawn a	ind garden only	\triangleright	12. Other (S	pecify below	
	<u> </u> 2.	Irrigation 4	. Industrial 6. O	il field wate	er supply	8. Air con	ditioning	10. Monitorin			
S			eriological sample sub	mitted to Dep	artment?	YES	NO Vater Well Disin		vhat mo/day/yr v	vas sampie NO	
5 7/05 05 0400		omitted							_		
5 TYPE OF CASIN	NG USED: 3. RPM (SR	5. Wrough	t Iron 7. Fil	berglass	9. Ot	her (Speci fy	below) CAS	SING JOINTS: (Glued	Threaded	
	,	6. Asbesto	s-Cement 8 Co	oncrete tile	SDF	₹-26			Welded	Clamped	
2. PVC	4. ABS							D'-			
Blank casing diameter	5 i	in. to	38 ft.,	Dia.	in.	to	ft.,	Dia.	n. to	ft.	
Casing height above la	and surface:	12 in.,	Wei	ight: $2.$.35 lb	s. / ft.	Wall th	ickness or gaug	e No214		
TYPE OF SCREEN OF				_							
1. Steel 3.	Stainless Steel	5. Fiberglass			9. AI	BS		her (specify)			
2. Brass 4.	Galvanized	6. Concrete	Tile 8. RM	1P (SR)	10. As	sbestos-Cer	nent 12. No	ne used (open	hole)		
SCREEN OR PERFOR	RATION OPENING	S ARE:									
1. Continuous slot 3. Mill slot 5. Gauzed wrapped						7. Torch cut 9. Drilled holes 11. None (open hole)					
2. Louvered shutter	4. Key pu	ınched 6.	Wire wrapped		(8. Sav	w cut	10. Oth	er (specify)			
	* *		• •		_			(,			
SCREEN - PERFORAT	ION INTERVAL	From	38 ft.	to	98	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL PACI	K INTERVALS:	From	24 ft.	to	98	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIA	LS: 1 Neat c	ement	2 Cament Gro		3	Rontonite		Other hent	nnite hole nlı	10	
Contribute and S. A. C. Schmidt State of S. Sentonie S. S										−6 ft.	
What is the nearest source of possible contamination:											
1. Septic tank	4. Lateral	lines	7. Pit privy	10.	Livestoci	c pens	13. Insecti	cide storage	15. Oil well/0		
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specif								ecify below)			
3. Watertight sewer	line 6. Seepag	re nit). Feed yard	12.	Fertilizer	storage					
Direction from well?	North	,0 p.t	•			•	How ma	any feet? 25 f	t. plus		
From To	1	ITHOLOGI	C LOG		From	То			GIC LOG		
	topsoil										
	clav										
	shale										
60 98 1	imestone with	h streaks of s	shale								

				-+							
											
		<u> </u>							<u> </u>		
				-							
7 0 1				\rightarrow				nlugged :	andor my juriadial	ion and	
Contractor's or La	andowner's Certific		well was 1. con			constructed			under my jurisdict	ion allu	
was completed on (n	no/day/year)	7/15/2008	and this	s record is t	rue to the	best of my	knowledge and I	belief.			
Kansas Water Well C	Contractor's Licens	se No. 236	This	water well	record was	s completed	on (mo/day/yea	r) 7/18	/2008		
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp											