WATER WELL RECORD F	orm WWC-5 KS	A 82a-1212	
1 LOCATION OF WATER WELL: FRACTION	SECTION NUMBER	TOWNSHIP NUMBER	RANGE NUMBER
Sedgwick NE 1/4 SW 1/4 SE Distance and direction from nearest town or city street address of well if located within city?	1/4 1	T 27 S	R 2E E/W
15446 e. Camden Chase Ct. Wichita, Kansas			
2 WATER WELL OWNER: MEHRDAD, Mannani			
RR#,ST. ADDRESS,BOX #: 15446 e. Camden Chase Ct.		Board of Agri	iculture, Division of Water Resource
CITY, STATE: Wichita, Kansas 3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: 12	ZIP CODE:	Application Nun	nber:
WITH AN "X" IN SECTION BOX:) ft. I	ELEVATION: ft.	ft.
Depth of groundwater Encountered: WELL'S STATIC WATER LEVEL 60		RFACE MEASURED ON mo/o	
Pump test data: Well water			s of pumping @ gpm
	er was	ft. after hours	s of pumping @ gpm
Est. Yield: gpm Well wat Bore Hole Diameter 12 in.	to 120 ft.	and in.	to ft.
WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water	er supply 7. Lawn an	9. Dewateri	•
1. Domestic 3. Feediot 5. Public water supply 1. Lawn and garden only 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well			
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample			
5 TYPE OF CASING USED: 5 Wrought Iron 7 Fiberglass			Glued Threaded
1 Steel 3 RPM (SR) 5. Wrought iron 7. Floerglass 5. Strict (Specify Scient) 5. Worlded Clared			
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete til	e SDR-26		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Blank casing diameter 5 in. to 60 ft., Dia.	in. to	ft., Dia.	in. to ft.
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)			
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw cut	10. Other (specify)	
SCREEN - PERFORATION INTERVAL From 60 ft. to	120 ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
GRAVEL PACK INTERVALS: From 24 ft. to	120 ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	3. Bentonite	Other bent	tonite hole plug
Grout Intervals: From 4 ft. to 24 ft., From	ft. to	ft., From	ft. to ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy	0. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)			
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage			
Direction from well? East		How many feet? 10	
From To LITHOLOGIC LOG	From To	LITHOLO	OGIC LOG
0 4 topsoil 4 15 clay			
15 85 shale			
85 100 limestone			
100 120 shale			
		, , , , , , , , , , , , , , , , , , , ,	
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and			
was completed on (mo/day/year) 8/25/2008 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 8/27/2008			
under the business name of Harp Well and Pump Service by (signature) Todd S. Hourp			