			WATER	R WELL R	ECORD	Form V	/WC-5 I	KSA 82a-1	212			
1 LOCATION O		R WELL:	FRACTION	2727			CTION NUMBI		HIP NUMBER	RANGE N		
Sedgwi			NE_	1/4 NW	1/4 N	E 1/4	11	T	27 S	R 2E	E/W	
1			r city street address		•							
500' S. of 21st and Castlerock Wichita, Kansas 2 WATER WELL OWNER: RITCHIE DEVELOPMENT												
	#,ST. ADDRESS,BOX #: 8100 E. 22nd N., Bldg. 1000										ater Resource	
			vichita, Kans				ZIP CODE:		Application Nu	ımber:		
3 LOCATE W	VELL'S LO		4 DEPTH OF C	OMPLETED V	WELL:	115	t.	ELEVATION				
WITH AN "	X" IN SEC	TION BOX:	Depth of ground	water Encount	tered:		ft.		ft.		ft.	
		X	WELL'S STATI		4.0	FT. BE	LOW LAND S	SURFACE MEA	SURED ON mo	/day/yr: 10/1	/08	
NV	- 1	-NE		Pump test d	ata: Well	water was		ft. after		rs of pumping @	gpm	
<u>o</u>			Est. Yield:	gpm	Well	water was		ft. after	hou	rs of pumping @	gpm	
w ₹ w		E	Bore Hole Dia	meter 1	2 in.	to	115	ft. and	in.	to	ft.	
	A	-ec	WELL WATER				1 2 1 2000	and garden of	9. Dewater	ring 11. Injed	ction well	
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify beld											pecify below)	
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department? YES NO : If yes, what mo/day/yr was sample											vas sample	
			submitted					Water Well Dis	sinfected?	YES 1	10	
1~ I		ING USED:	5. Wr	ought Iron	7. Fibergla	ass 9	Other (Speci	fy below) C	ASING JOINTS:	Glued	Threaded	
1. S		3. RPM	1 (SR)	•		c	DR-26			Welded	Clamped	
2. P		4. ABS	,	estos-Cement		te tile						
Blank casing	diamete	r 5	in. to	o 50 ft	., Dia.	in.	to	ft.,	Dia.	in. to	ft.	
1 ,		land surface:		n.,	Weight:	2.35	lbs. / ft.	Wall	thickness or gau	uge No214		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)											nen hole)	
					• •					11.140110 (0	ponnoicy	
2. Louvere	a snutte	7 4. Ke	ey punched	6. Wire wra	ppea	_	Saw cut	10. 0	ther (specify)			
SCREEN - PE	ERFORA	TION INTERV	AL From	50	ft.	to 115	ft.,	From	ft.	to	ft.	
			From		ft.	to	ft.,	From	ft.	to	ft.	
GRA	VEL PAC	CK INTERVAL	S: From	24	ft.	to 115	ft.,	From	ft.	to	ft.	
			From		ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT	MATERIA	ALS: 1. N	eat cement	2. Ce i	ment Grout		3. Bentonit	te	Other ben	tonite hole plu	ıg	
Grout Intervals: From 4 ft. to 24 ft., From							ft. to		From	ft. to	ft.	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. L							. Livestock pens		13. Insecticide storage		as well	
1. Septic tank 4. Eutoral into						11. Fuel s		14 Aba	14. Abandon water well		16. Other (specify below)	
2. Sewer lines 5. Cess root										None Ap	parent	
3. Watertight sewer line 6. Seepage plt 9. Feed yard Direction from well?							-	How	How many feet?			
From	To		LITHOLO	GIC LOG		Fron	n To	1		OGIC LOG		
0	4	topsoil	A.S.									
4		clay						<u> </u>			·····	
20		shale										
70 95	95 110	limestone shale						1			····	
110		limestone										
								<u> </u>				
-								+				
							+		··			
								J				
7 Contrac	ctor's or L	andowner's Ce	ertification: This v		1. construc	ted 2.	reconstructe	ed or 3.	plugged	under my jurisdict	ion and	
was completed on (mo/day/year) 10-1-2008 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/03/2008												
under the business name of Harp Well and Pump Service by (signature)												