	orm WWC-5 K	(SA 82a-1212	
1 LOCATION OF WATER WELL: FRACTION SE 1/4 SE 1/4 SE	SECTION NUMBE		RANGE NUMBER
Sedgwick SE 1/4 SE 1/4 SE Distance and direction from nearest town or city street address of well if located within city?	1/4 8	T 27 S	R 2E E/W
13th and Webb Road Wichita, Kansas			
2 WATER WELL OWNER: FOLEY			
RR#,ST. ADDRESS,BOX #: P.O. Box 782257		Board of Agr	lculture, Division of Water Resource
CITY, STATE: Wichita, Kansas	ZIP CODE:	Application Nur	mber:
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: 85	ft.	ELEVATION:	
Depth of groundwater Encountered:	ft.	ft.	ft.
WELL'S STATIC WATER LEVEL 20		URFACE MEASURED ON mo/	,,
Pump test data: Well wat Set Yield: gpm Well wat			s of pumping @ gpm
Est. Yield: gpm Well wat Bore Hole Diameter in.	to ft		s of pumping @ gpm to ft.
₩ELL WATER 10095 USED AS:		9 Dewater	
1 1 1 1	er supply 7. Lawn	and garden only	12. Other (Specify below)
I Land to the second se	ater supply 8. Air co		ng well what mo/day/yr was sample
S Was a chemical/bacteriological sample submitted to D submitted		Water Well Disinfected?	YES NO
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass	9. Other (Specify	y below) CASING JOINTS:	Glued Threaded
1. Steel 3. RPM (SR)			Welded Clamped
2. PVC 4. AB3		# Dia	
	in. to	ft., Dia.	in. to ft.
Casing height helped land surface: 10 in., Weight: TYPE OF SCREEN OR PERFORATION MATERIAL:	lbs. / ft.	Wall thickness or gau	ge No.
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS	11. Other (specify)	N/A
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)	10. Asbestos-Ce	ment 12. None used (open	hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw cut	10. Other (specify) ${ m N}$	I/A
SCREEN - PERFORATION INTERVAL From ft. to	ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
GRAVEL PACK INTERVALS: From ft. to	ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	3. Bentonite	Other bent	tonite hole plug
Grout Intervals: From 10 ft. to 30 ft., From	ft. to	ft., From	ft. to ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy	0. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
Source larger 11 Fuel storage 44 About 11 Other (specify helps)			16. Other (specify below)
2. Sewer lines 5. Cess i Goi	2. Fertilizer storage	· · · · · · · · · · · · · · · · · · ·	None Apparent
Direction from well?	Ū	How many feet?	
From To LITHOLOGIC LOG	From To	LITHOLO	OGIC LOG
	0 10	compacted topsoil	
	10 30 30 85	hentonite hole plug chlorinated gravel	
	30 65	chiormateu gravei	
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and			
was completed on (mo/day/year) 12/3/2008 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12/5/2008			
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb			