		WATER W	ELL REC	CORD I	orm WV	VC-5 K	SA 82a-12	12			
1 LOCATION OF WATER	R WELL:	FRACTION	O.E.			TION NUMBER		IP NUMBER	RANGE		
Sedgwick		SW 1/4	<u> </u>	1/4 NW	1/4	11	T 2	.7 s	R 2	E E/W	
Distance and direction from nearest town or city street address of well if located within city? 1802 N. Glenwood Circle Wichita, Kansas											
2 WATER WELL OWNER: ANDREWS, Steve											
RR#,ST. ADDRESS,	Board of Agriculture Division of Water Resour										
CITY, S	STATE: Wic	hita, Kansas				P CODE:		Application Nun	nber:		
3 LOCATE WELL'S LOC WITH AN "X" IN SEC		DEPTH OF COM	PLETED WEI	LL: 9	7 ft.		ELEVATION:				
WITH AN X IN SEC	De	epth of groundwate	er Encountere		ft.			ft.		ft.	
	, w	VELL'S STATIC W				W LAND SU		URED ON mo/o	day/yr: 2/3	3/09	
	-NE		ump test data:				ft. after		of pumping @	gpm	
		Est. Yield: Bore Hole Diamete	gpm er 12	Well wa	ater was to 9	7 ft.	ft. after and		s of pumping @	gpm	
5		VELL WATER TO			10 9	, II.	and	in. 9. Dewateri i	to 11 Inio	ft. ection well	
sw			. Feedlot		ater supply	7. Lawn a	ınd garden on	S Dewatern	9	Specify below)	
	1	-	. Industrial	6. Oil field v				10. Monitorir	•		
s		Was a chemical/bacte ubmitted	eriological samp	ole submitted to	Department?	YES Was V	NO Vater Well Disir		what mo/day/yr	was sample NO	
5 TYPE OF CASI	ING USED:	E \A/=	+ 1	7 Fiboralass	9.0	ther (Specify		SING JOINTS: (Glued	Threaded	
1. Steel	3. RPM (S	•		7. Fiberglass	יים	R-26	50.011)		Welded	Clamped	
2. PVC	4 . ABS	6. Asbesto	os-Cement	8. Concrete	tile 5D	14-20					
Blank casing diameter	r 5	in. to	37 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height above		12 in.,		Weight:	2.35 II	os. / ft.	Wall to	hickness or gaug	ge No214	1	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)											
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)										,	
ŀ								iei (specily)			
SCREEN - PERFORAT	TION INTERVAL		37 ft			ft.,	From	ft.	to	ft.	
CDAVEL DAG	CK INTERVALS:	From	ft 24 ft		。 。 97	ft.,	From	ft.	to	ft.	
GRAVEL PAC	OK INTERVALS.	From				ft.,	From	ft.	to	ft.	
- L operation	A1.0	From	ft		0	ft.,	From	ft.	to	ft.	
GROUT MATERIA Grout Intervals:	1. 1104	t cement ft. to	2. Cemei 24 ft.			B. Bentonite			onite hole pl	0	
What is the nearest so	From 4 urce of possible of	contamination:			ft.	to	ft.,	From	ft. to		
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oi								15. Oil well/			
2. Sewer lines	5. Cess	Pool	8. Sewage la	_	11. Fuel sto	-	14. Aband	don water well	16. Other (s	pecify below)	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage											
Direction from well? From To	East	LITHOLOGI	CLOG		From	То	How m	nany feet? 10 f	OGIC LOG		
	topsoil	LITTIOLOGI	<u> </u>		1 10111	10		LITTIOLO	JOIC LOG		
	clay										
	shale										
	loose shale				<u> </u>						
1 1	limestone shale				<u> </u>						
					-						
					_	-					
					-	-					
7 Contractor's or L	andowneds Carti	fication: Thisst-	rwoll was 4 d	agrature d		constructo	Or 3	plugged	under mulicite di	ation and	
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 2/3/2009 and this record is true to the best of my knowledge and belief.											
			aı				•		12006		
1	Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/6/2009										
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb											