		WATER W	ELL RECO	RD Fo	orm WW	/C-5 K	SA 82a-121	12			
1 LOCATION OF WATER	WELL:	FRACTION	NINY	B1337		ION NUMBER			RANGE N		
Sedgwick	nearest town or city st	SW 1/4	NW 1/4	NW	1/4	11	Т 2	7 s	R 2E	E/W	
Distance and direction from nearest town or city street address of well if located within city?  12811 E. Churchill Street  Wichita, Kansas											
2 WATER WELL OWNER: ROGERS, John											
RR#,ST. ADDRESS,B									culture, Division of V	later Resource	
CITY, S		ita, Kansas				P CODE:		Application Num	ber:		
3 LOCATE WELL'S LOC		EPTH OF COMP	LETED WELL:	98	ft.		ELEVATION:				
N N	Dept	th of groundwater		40	ft.			ft.		ft.	
	WE	LL'S STATIC WA				W LAND SU	JRFACE MEASU				
NW	- NE	Est. Yield:	mp test data: gpm	Well wate			ft. after ft. after		of pumping @ of pumping @	gpm gpm	
w ⊠ie	Е Во	re Hole Diameter	- 40		to 9	<b>8</b> ft.		in.	to	ft.	
-	·	LL WATER TO B	E USED AS:					0 Newsterin	44 1-1-	ction well	
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only											
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well  Was a chemical/hacteriological sample submitted to Department?  VES NO ; If yes, what mo/day/yr was sample											
S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted Was Water Well Disinfected? YES NO											
5 TYPE OF CASIN		5. Wrought	Iron 7. F	iberglass	9. Ot	her (Specify	below) CAS	ING JOINTS: (	Glued	Threaded	
1. Steel 3. RPM (SR) Welded Clamped											
2. PVC	4. ABS 5 ii		40			4-	4	Dia .		4	
Blank casing diameter		10	,	Dia.	in.	to	ft.,		n. to	ft.	
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214											
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)										pen hole)	
2. Louvered shutter	4. Key pu	nched 6. V	Wire wrapped		8. Sa	w cut	10. Oth	er (specify)			
SCREEN - PERFORAT	ION INTERVAL	From	<b>48</b> ft.	to	98	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL PACI	K INTERVALS:	From	24 ft.	to	98	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIA	LS: 1. Neat c	ement	2. Cement G	rout	3	. Bentonite		Other bent	onite hole plu	10	
Grout Intervals:	From 4	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft. to	ft.	
What is the nearest sou	•	7	. Pit privy	10	). Livestoc	k pens	13. Insecti	cide storage	15. Oil well/0	as well	
9 Source larges 11 Fuel storage 14 About a water 16. Other (specify bel											
2. Sewer lines 5. Cess Pool 6. Sonday lagori 4. Abandon water wen											
3. Watertight sewer line 6. Seepage plt 9. Feed yard 12. Direction from well? East							How ma	How many feet? 10 ft. plus			
From To		ITHOLOGIC	CLOG		From	То		LITHOLO	GIC LOG		
	topsoil										
	clay shale		****								
	shale and lim	estone									
						<u> </u>					
					-						
						l					
7 Contractor's or La	andowner's Certifica		well was 1. co	nstructed	) 2. re	constructed	<b>d</b> or 3.	plugged	under my jurisdict	ion and	
was completed on (mo/day/year) 5/21/2009 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5-25-2009											
under the business name of Harp Well and Pump Service by (signature) Todd S. Horb											