			WATER V	VELL RECO	DRD F	orm WV	NC-5 K	(SA 82a-12 ⁻	12		
1 LOCATION C		R WELL:	FRACTION	·/		SEC	TION NUMBE		PNUMBER	RANGE	NUMBER
Sedgwie			NE /1/4	4 SW 1/4		1/4	1	727 €	8 S	R 2	E E/W
1		m nearest town or city			•						
		den Chase Ct		Wichita,	, Kansas						
2 WATER			RZET, Brad	CI CI					Board of Agr	iculture, Division o	f Water Resource
RR#,ST. AD			0 E. Camder hita, Kansas	n Chase Ct.		_					
					12		IP CODE:		Application Nur	nber:	
3 LOCATE W	VELL'S LC X" IN SEC	CATION 4	DEPTH OF COM	IPLETED WELL:	12			ELEVATION:			
, , ,	N	De	pth of groundwate			ft			ft.		ft.
		l Wi	ELL'S STATIC W	ATER LEVEL	50	FT. BELC	OW LAND SI	JRFACE MEASI	JRED ON mo/o	day/yr: 7 /1	10/09
NA NA	∀ } .	NE		ump test data:	Well wat	er was		ft. after	hours	of pumping @	gpn
w Wile			Est. Yield:	gpm	Well wat			ft. after	hours	s of pumping @	gpm
			lore Hole Diamete		in.	to 1	123 ft	. and	in.	to	ft.
Sv	,, ,		ELL WATER TO I . Domestic 3		Public was	ter sunniv	C7 Lawn	and garden only	9. Dewateri	9	ection well
		, v					8. Air cor		10. Monitorii		Specify below
			Vas a chemical/bact				YES	(NO)		what mo/day/yr	was sample
		su	bmitted	·				Water Well Disinf	ected? (YES	NO
Lil		ING USED:	5. Wrough	nt Iron 7.	Fiberglass	9. O	ther (Specify	(below) CAS	ING JOINTS: (Glued	Threaded
1. St		3. RPM (SF	۲)		• •	. SD	R-26			Welded	Clamped
2. P		> 4. ABS			Concrete til	le SD	10 20				
Blank casing	diamete	r 5	in. to	53 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing heigh	ht above	land surface:	12 in.,	W	Veight:	2.35 I	bs. / ft.	Wall th	ickness or gaug	ge No21	4
1		R PERFORATION			_						
1. Steel	3	. Stainless Steel	Fiberglass	_	evc >	9. A	BS	11. Oti	ner (specify)		
2. Brass	4	. Galvanized	6. Concrete	Tile 8. F	RMP (SR)	10. A	sbestos-Cer	ment 12. No	ne used (open	hole)	
SCREEN OR	PERFO	RATION OPENING	3S ARE:								
1. Continuo	ous slot	3. Mill slo	ot 5.	Gauzed wrappe	ed	7. To	rch cut	9. Drille	ed holes	11. None (open hole)
2. Louvered	d shutte	r 4. Key pu	unched 6.	Wire wrapped		8. Sa	w cut	10. Othe	er (specify)		
SCREEN - PE	REORA	TION INTERVAL	From	53 ft.	to	123	ft.,	From			
TOOKEE!	-111 0101	TOTAL	From	ft.	to	123	,		ft.	to	ft.
GBA	VEL DA	CK INITEDVALS:		24 ft.		123	ft.,	From	ft.	to	ft.
GRA	VEL PA	CK INTERVALS:	From		to		ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT	MATERI	ALS: 1. Neato	cement	2. Cement G	Grout	3	3. Bentonite		Other bent	onite hole p	lug
Grout Inte		From 4	ft, to	24 ft.,	From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage								15. Oil well	Gas well		
1. Septic ta				8. Sewage lagoo		1. Fuel sto	-				pecify below)
2. Sewer lin		5. Cess P					_	14. Abande	on water well		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
3. Watertight Direction from		South	ge pit *	9. Feed yard	1	2. Fertilize	rstorage	Have an		t mlus	
From	To		LITHOLOGI	CLOG		From	То	now ma	ny feet? 10 f	GIC LOG	
0	3	topsoil	LITTIOLOGI	O LOG		1 10111	10		LITHOLO	IGIC LOG	
3	11	clav									
11		brown shale									
17	112	grey shale									-
112	123	limestone									
							\vdash				
		-									
<u> </u>							<u> </u>				
7 Contract	tor's or L	andowner's Certific	cation: This water	r well was 1. Co	onstructed) 2. re	constructed	or 3. p	olugged	under my jurisdi	ction and
was completed on (mo/day/year) 7-10-2009 and this record is true to the best of my knowledge and belief.											
		•••					,	-		2000	
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 7-13-2009 under the business name of Harp Well and Pump Service by (signature)											
under the bu	usiness	name of Harp	Well and Pur	mp Service		by (si	gnature)	To	odd S	.Harj)