			Form WWC-5		Division of Water Reso	ources; App. No.		
1 LOC County:	ATION OI	WATER WELL: Sedgwick	Fraction NE NW NW	5E 198 ¼	Section Number 1	Township Number T 27s S	Range Number R 2e E/W	
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digi								
located within city? 15302 E Mainagate					Latitude:			
2 WATER WELL OWNER: Randy Randall					Longitude: Elevation:			
RR#	RR#, St. Address, Box # : 15302 E Main§gate							
City	City State ZIP Code Wichita Ks 67235					Method:		
City, State, ZIP Code : Wichita, Ks 67235 Data Collection Method: 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 117 ft.								
LOCATON								
WITI	AIUN IAN «V»	Donth(s) Grov	ndvistor Encountered 1		Α 2	0 0		
CECT	HAN A	Depui(s) Grou	TIC WATER LEVEL		π. 2	π. 3	, It .	
SECI	ION BOX	WELL S SIA	indwater Encountered 1 TIC WATER LEVEL	32	π. below land surfa	ce measured on mo/d	ay/yr	
ļ , ,	N	7 Pum	gpm: Well water w	was	ft. atter	hours pumpi	ng gpm	
		Est. Yield 22	gpm: Well water v	was	ft. after	hours pumpi	ng gpm	
- W	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
W Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
2 Irrigation 4 Industrial Domestic (lawn & garden) 10 Monitoring well								
⊢sý	- sw se							
	Was a chemical/bacteriological sample submitted to Department? Yes No x; If yes, mo/day/yrs							
1	S	10 1	1 ' 1			44 - 4 4 - 4 - 4 - 4 - 4		
S Sample was submitted Water Well Disinfected? Yes x No								
1 54	ool	2 DMD (CD) 6	A shorter Coment	Conc	(analifa halaa)	NG JOIN 12: Glued	x Clamped	
Op.	CCI	A ADS 7	Aspestos-Cement 9	Otnei	(specify below)	Welded	l ,	
		4 ABS /	Fiberglass			Thread	ed	
Sample was submitted Water Well Disinfected? Yes x No 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued x Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to 37 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., Weight 2.40 lbs./ft. Wall thickness or gauge No. 160psi TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Casing he	eight above	land surface 12	in., Weight	2.40	lbs./ft. Wal	I thickness or gauge N	lo. 160psi	
TYPE OF	SCREEN	OR PERFORATION	N MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass (7)PVC 9 ABS 11 Other (specify)								
SCREEN OR PERFORATION OPENINGS ARE: 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key nunched 6 Wire wrapped 9 Saw Cut 10 Other (specific)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 37 ft. to 117 ft. From ft. to ft.								
		TI T	From	ft to	A Fro	m & to	Δ	
From fl. to fl. From fl. to fl. GRAVEL PACK INTERVALS: From 32 fl. to 117 fl. From fl. to fl.								
G.	CAVELIA	OR HVIERVALS.	From 32	π. ιο	11/ II. FIG	om n. to	π.	
From fl. to fl. From fl. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite 4 Other								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 3 ft. to 32 ft. From ft. to ft. From ft. to ft.								
What is th	ne nearest se	ource of possible con	ntamination:		***************************************			
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
	er lines	5 Cess poo	1 8 Sewage lagoon 11	Fuel s		ndoned water well	below)	
(3)Wat	tertight sew	er lines 6 Seepage	pit 9 Feedyard 12	Fertili	zer storage 15 Oil v	vell/ gas well	,	
Direction	from well?	South			ny feet? 18ft			
FROM	TO		LOGIC LOG	FROM	1 TO	DI LICCINIC INTE	DYATC	
0	1	Top soil	EOGIC EOG	TROP	10	PLUGGING INTE	KVALS	
1	8	Clay						
8	74	Soft limestone						
74	77	Soft shale				***		
77	96	Limestone						
96	107	Soft shale						
107	117	gypsum rock						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 4-15-09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 740 . This Water Well Record was completed on (moday/year) 5-15-09								
under the b	usiness name	of Weninger Dri		y (signa		4		
INSTRUCT	TONS: Please	fill in blanks or circle th	e correct answers. Send top thr	ee copies	to Kansas Department o	f Health and Environment.	Bureau of Water,	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.								
L Com 10001US		101 OHOLI COLISH HULEU WEI	a. vion us at http://www.kunek	ა.ყ∪v/wa	IOI WEII.	*,		