WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township Range Number
County: SEDGWICK	SW 1/4 SE 1/4 NE 1/4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System CPS information:		
from nearest town or intersection: If at owner's address, check here		Latitude: (in decimal degrees)
2607 N WOODRIDGE CT		Longitude: (in decimal degrees)
WICHITA, KS 67226		Elevation: Datum: WGS 84, NAD 83, NAD 27
2 WATER WELL OWNER: CHR	IS DEVORE	Collection Method:
	N WOODRIDGE CT	GPS unit (Make/Model:)
City, State, ZIP Code : WICH	HITA, KS 67226	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
<u>Est. Accuracy</u> :		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 100 ft.		
SECTION BOX: Depth(s) Gro	undwater Encountered (1).40	ft. (2) ft. (3) ft.
SECTION BOX: Depth(s) Groundwater Encountered (1).40		
Pump test data: Well water wasft. after hours pumping gpm		
EST. YIELD. 8gpm. Well water was		
W E Bore Hole Diameter		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
SWSE Domestic Feedlot Oli field water supply Dewatering Other (specify below)		
Was a chemical/bacteriological sample submitted to Department? Yes V No		
S If yes, mo/day/yr sample was submitted		
1 mile Water well disinfected? ✓ Yes □ No		
5 TYPE OF CASING USED: Steel V PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter .5 in. to .60 ft., Diameter in. to ft., Diameter ft.		
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge NoSDR26		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From		
From		
GRAVEL PACK INTERVALS: From 20 ft. to 100 ft., From ft. to ft.		
From ft. to ft., From ft. to ft.		
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other		
What is the nearest source of possible contamination:		
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)		
✓ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well NORTH ☐ Distance from well .40.		
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 3 TOP SOIL	OGIC EOG TROM	10 EITHO. EOG (COIR.) OI LEOGGING INTERVALS
3 60 CLAY		
60 80 YELLOW LIMESTO	NE	
80 100 GREY LIMESTONE		
# CONTRACTORS OF LANDOWNERS CERTIFICATION TO 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year) .10/20/2009 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year)		
under the business name of PREMIER PUMP & WELL SERVICE, INC. by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy		