	WATER	WELL RECORD	Form W\	NC-5 K	(SA 82a-121	2		
1 LOCATION OF WATER WE	LL: FRACTION		SEC	TION NUMBE	R TOWNSHIP	NUMBER	RANGE NU	MBER
Sedgwick	SW 1	/4 SE 1/4	NE 1/4	3	T 2'	7 s	R 2E	E/W
Distance and direction from nea	rest town or city street address of	well if located within city?						
2619 N. Woodrid	ge Ct.	Vichita, Kansas						
2 WATER WELL OWN	ER: DRUMWRIGH	T CONSTRUCT	ION					
RR#,ST. ADDRESS,BOX	Board of Agriculture, Division of Water							ater Resource
CITY, STAT	TE: Andover, Kansa	ıs	Z	IP CODE:		Application Nun	nber:	
3 LOCATE WELL'S LOCATI	ON 4 DEPTH OF CO	MPLETED WELL:	112 ft.		ELEVATION:			
WITH AN "X" IN SECTION			f	ł		ft.		ft.
N.	— , i · · ·		•		IDEACE MEASI		lay/vr: 5/5/	
	WELL'S STATIC			JW LAND S	URFACE MEASU		,,	
- NW - NE	·		ell water was		ft. after		of pumping @	gpm
w Wille	Est. Yield:	10	ell water was	۰۰ ،	ft. after		of pumping @	gpm
	Bore Hole Diame		to	60 ft	. and	in.	to	ft.
	WELL WATER TO		lic water sunnly	C7 Lawn	and garden only	9. Dewateri	9	tion well
	2. Irrigation	4. Industrial 6. Oil f			nditioning	10. Monitorir	12. Other (Sp na well	ecity below)
s	•	cteriological sample submit		YES	(NO)		what mo/day/yr w	as sample
3	submitted	otottological sample sasmit	too to bopartinont.		Water Well Disinf			0
5 TYPE OF CASING	USED:	aht laan 7 Eibar	-alasa 9 (Other (Specif	v below) CAS	ING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR) 5. Wrou	ght Iron 7. Fiber	giado		, 50,011,		Welded	Clamped
2. PVC	4. ABS 6. Asbes	stos-Cement 8. Cond	crete tile SL	R-26				Ciampou
Blank casing diameter	5 in. to	62 ft., Di	a. in.	to	ft.,	Dia.	in. to	ft.
Casing height above land	surface: 12 in.,	Weigh	it: 2.35	lbs. / ft.	Wall th	ickness or gaug	ge No214	
1 .	ERFORATION MATERIAL:	VVCigit	n. 2.55	103. / It.	vvan u	ckness or gaug	Je No214	
1	intess Steel 5. Fibergla	ss 7. PVC	9 /	ABS	11. Otl	ner (specify)		
	lvanized 6. Concret			Asbestos-Ce		ne used (open	hole)	
		0.7110	(0.1)	10000100 00		acca (opc	,	
SCREEN OR PERFORAT								
1. Continuous slot	3. Mill slot	5. Gauzed wrapped	7. 10	orch cut	9. Drill	ed holes	11. None (o	pen noie)
2. Louvered shutter	4. Key punched	6. Wire wrapped	€ 8. S	aw cut	10. Oth	er (specify)		
SCREEN - PERFORATION	N INTERVAL From	62 ft.	to 112	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
CRAVEL BACK IN		24 ft.	to 112					
GRAVEL PACK IN				ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS:	1. Neat cement	2. Cement Grout	t	3. Bentonite	•	Other bent	onite hole plu	g
Grout Intervals: Fi	rom 4 ft.	to 24 ft., F	rom ft	to	ft.,	From	ft. to	ft.
What is the nearest source	of possible contamination:	7 Dit makes	10 Livesto	ck nane	42 (15. Oil well/G	المسم
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide stora						•		
2. Sewer lines	5. Cess Pool	8. Sewage lagoon	11. Fuel st	orage	14. Aband	on water well	16. Other (sp	ecity below)
3 Watertight sewer line	6. Seepage pit	9. Feed yard	12. Fertilize	er storage				
Direction from well?	West				How ma	any feet? 10 f		
From To	LITHOLOG	SIC LOG	From	To		LITHOLO	GIC LOG	
0 4 top	osoil							
4 25 cla								
25 105 sha				-				
105 112 lim	nestone			 				
				<u> </u>				
				 				
				1				
7 Contractor's or Land	owner's Certification: This wa	ter well was 1 Const	ructed 2 r	econstructe	d or 3.	plugged	under my jurisdicti	on and
P	E / E / O O 1	_					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
was completed on (mo/	uay/year) 3/3/201	and this r	ecord is true to th	e nest of my	KI IOWIEUUE AND I	JEIIEI.		
Kansas Water Well Con				-				
Ransas Water Well Coll	tractor's License No. 236	This wa	ater well record w	-	d on (mo/day/yea		2010	
				-	d on (mo/day/yea	r) 5/7/	2010 . Harp	