1 LOCATION OF WATER WELL:	FRACTION	WATER WELL RECORD For						NSHIP NUMB			
Sedgwick		1/4 SW	1/4	NE	1/4	SECTION NU	MBEK TOW		S	R 2E	E/W
Distance and direction from nearest town or city		., .							<u> </u>	1\	L-7 V V
1922 Burning Tree		ta, Kansas									
	K, John									,	
	Burning	Гree						Bos	ard of Agriculture, [Division of Wate	er Resource
CITY, STATE: Wicl	hita, Kansa	as				ZIP COD	E:	Applic	ation Number:		
	DEPTH OF CO	OMPLETED \	VELL:	80)	ft.	ELEVATI	:NC			
WITH AN "X" IN SECTION BOX: De	pth of groundy	vater Encount	tered:			ft.		f	t.		ft.
w w	ELL'S STATIC	WATER LEV	/EL	40	FT. E	BELOW LAN	ID SURFACE M	EASURED (ON mo/day/yr:	10/13/1	10
NW		Pump test d	ata:	Well wat	er was	i	ft. aft	er	hours of pum	ping @	gpm
W Hije	Est. Yield:	gpm		Well wat			ft. aft	ər	hours of pum	iping @	gpm
	Bore Hole Dian		. 2 in			to 80	ft. an	d	in.	to	ft.
	ELL WATER 1	TO BE USED 3. Feedlot		ublic wa	tor cu	مستسم 1 7 م برامد	awn and garde	9. E	ewatering	11. Injectio	
	1. Domestic 2. Irrigation	4. Industri		oblic wa Dil field w		- Marianana and	r conditioning	THE SHE STORY	12. Monitoring well	Other (Spec	cify below)
	z. Imgation Was a chemical/k							_	; If yes, what m	o/day/yr was	s sample
ŭ l	ubmitted						Vas Water Well		YES) NO)
TYPE OF CASING USED:	5 Wro	ught Iron	7 F	iberglass		9. Other (Sp	pecify below)	CASING J	OINTS: Glued	Т	hreaded
1. Steel 3. RPM (SI	R)	-		Ū		SDR-26			Welde	ed C	Clamped
2. PVC 4. ABS		estos-Cemen		oncrete ti							
Blank casing diameter 5	in. to	30 f	t.,	Dia.		in. to	ft.,	Dia.	in.	to	ft.
Casing height above land surface:	12 ir	١.,	We	eight:	2.35	lbs. / ft.	V	/all thicknes	s or gauge No.	.214	
TYPE OF SCREEN OR PERFORATION			7.5	10				1 Other (on	noif ()		
1. Steel 3. Stainless Steel	5. Fiberg		7. P\			9. ABS		1. Other (sp			
2. Brass 4. Galvanized	6. Concr	ete Hie	8. KI	MP (SR)		10. Asbesto	s-Cement	Z. None use	ed (open hole)		
SCREEN OR PERFORATION OPENIN				_				B	4.4	. Name (a.c.	((-)
1. Continuous slot 3. Mill s	lot	5. Gauzed v	wrapped	ı	_	7. Torch cu	_	. Drilled hol		l. None (ope	en noie)
2. Louvered shutter 4. Key p	ounched	6. Wire wra	pped		(8. Saw cut) 10	. Other (spe	ecify)		
SCREEN - PERFORATION INTERVAL	From	30	ft.	to	;	80 ft.,	From		ft.	to	ft.
	From		ft.	to	*	ft.,	From		ft.	to	ft.
GRAVEL PACK INTERVALS:	From	24	ft.	to		80 ft.,	From		ft.	to	ft.
	From		ft.	to)	ft.,	From		ft.	to	ft.
6 GROUT MATERIALS: 1. Neat	cement	2 Ce	ment G	out		3. Bent	onite	Other	bentonite	hole plug	г
	ft.	to 24	ft.,	From		ft.		ft., Fro		to	• ft.
What is the nearest source of possible c					10 1 5.						
1. Septic tank 4. Latera	al lines	7. Pit priv				estock pens	5 13. I	nsecticide s	J	Oil well/Gas	
2. Sewer lines 5. Cess	Pool	8. Sewag	e lagooi	י ו	11. Fu	el storage	14. /	bandon wa	ter well 16.	Other (spec	city below)
3. Watertight sewer line 6. Seepa	age pit	9. Feed y	ard	•	12. Fe i	tilizer stora	-		40.0		
Direction from well? South			,						et? 10 ft. plu		
From To	LITHOLC	GIC LOG	j		Fr	om T	<u>o</u>	LI!	HOLOGIC	LOG	
0 3 topsoil		······································	····								
3 12 clay 12 80 gray shale					╅						
12 OV gray share											
					_						
					+						
					 						
					 		-				
		i			\top					, , , , , , , , , , , , , , , , , , , ,	

was completed on (mo/day/year) 10-13-2010 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10-15-2010

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp