WATER WELL RECORD Form V	Division of Wate	r Resources App. No		
1 LOCATION OF WATER WELL: Fraction		Section Number	Township No.	Range Number
County: Selow 7k UZ 1/4 SE 1/4 SW/4		2		R 2 XE □W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here .		Global Positioning System (GPS) information: Latitude: (in decimal degrees)		
13619 E. Box norzh St.		L'attude: (in decimal degrees) Longitude: (in decimal degrees)		
Wichida, KSC07228		Elevation:		
		Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Travis Spice Ho RR#, Street Address, Box #: 13699 8. Bornoen 8.		Collection Method:		
City, State, ZIP Code : Un charles KG (2000)		Digital Map/Photo, 🗌 Topographic Map, 🗌 Land Survey		
City, State, ZIP Code : WChilda, K=5(enable) $Est. Accuracy: \Box <3 m, \Box 3-5 m, \Box 5-15 m, \Box >15 m$				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL				
SECTION BOX: Depth(s) Groundwater Encountered $(1)_1, \dots, ft.$ $(2), \dots, ft.$ $(3), \dots, ft.$				
N WELL'S STATIC WATER LEVEL 3 ft. below land surface measured on mo/day/yr. 10-19-40.				
Pump test data: Well water wasft. after				
$W = \frac{1}{1} = $				
W WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)				
SW SE Domestic Preediot On held water supply Dewatering Other (Specify below)				
Was a chemical/bacteriological sample submitted to Department? Yes Yes   S If yes, mo/day/yr sample was submitted				
1 mile  Water well disinfected? ☑ Yes □ No				
5 TYPE OF CASING USED: Steel V PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded				
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter				
Casing height above land surface				
TYPE OF SCREEN OR PERFORATION MATERIAL:   Steel Steel   Steel Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Cother (specify)				
SCREEN-PERFORATED INTERVALS: From. 3.5 ft. to				
From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From				
From				
Grout Intervals: From 3 ft. to 3.9 ft., From ft. to ft., From ft. to ft. to ft.				
What is the nearest source of possible contamination:				
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)				
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well   Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well				
Direction from well				
FROM TO LITHOLOGIC LOG	FROM	TO LITHO. LO	DG (cont.) or PLU	GGING INTERVALS
0 3 Topsoil		<u> </u>		
3 30 Clary.				
30 54 Broken Limesters				· · · · · · · · · · · · · · · · · · ·
54 76 Rfue shale.				
			-	
	•			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, ar plugged				
under my jurisdiction and was completed on (mo/day/year)				
Kansas Water Well Contractor's License No				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRM</u>	LY and PRINT cle	arly. Please fill in blank	and check the correct	answers. Send three conject
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 429, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and http://www.kdheks.gov/waterwell/index.html.	a retain one for y	our records. Include fee	of \$5.00 for each <u>co</u>	onstructed well. Visit us at