		WATER WE	ELL RECORD	For	m WW	C-5 K	SA 82a-121	2			
1 1	LOCATION OF WATER WELL: FRACTION				1	ON NUMBER	TOWNSHIP NUMBER		RANGE NUMBER		
Sedgwick  Distance and direction fro		SW 1/4		NW 1/	/4	11	T 27	S	R 2E	E/W	
12913 E. Chu		Wichita,	-								
2 WATER WELL		PERLY, Loren	11040								
RR#,ST. ADDRESS	Boar Board								culture, Division of Wa	ater Resource	
CITY,	STATE: Wi	chita, Kansas			ZIF	CODE:		Application Num	nber:		
3 LOCATE WELL'S LO	CATION BOX:	DEPTH OF COMPI	LETED WELL:	100	ft.		ELEVATION:				
N N		Depth of groundwater		_	ft.			ft.		ft.	
		WELL'S STATIC WA				V LAND SL	IRFACE MEASU			/10	
NW	NE			ell water v			ft. after		of pumping @	gpm	
w X		Est. Yield: Bore Hole Diameter	gpm W 12 in.	ell water v	was to <b>1</b> 0	<b>00</b> ft.	ft. after and	nours in.	of pumping @ to	gpm ft.	
[	,	WELL WATER TO BI			10 1	, it.	and	9. Dewaterii	44 Inter		
sw	1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below									ecify below)	
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well  Was a chemical/bacteriological sample submitted to Department? VES NO ; If yes, what mo/day/yr was sample										
s		Was a chemical/bacteri submitted	iological sample submit	ted to Depa	artment?	YES Was V	Vater Well Disinfe		YES N	•	
5 TYPE OF CAS	SING USED:	5. Wrought	Iron 7. Fibe	ralace	9. Ott	ner (Specify	below) CASI	NG JOINTS: C	Glued	Threaded	
1. Steel	3. RPM (	(SR)		•	SDR		,		Welded	Clamped	
2. PVC	> 4. ABS	6. Asbestos		crete tile						_	
Blank casing diameter	er <b>5</b>	10	40 ft., Di		in.	to	ft., [	Dia. i	in. to	ft.	
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214											
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot			auzed wrapped		7. Tor	ch cut	9. <b>Drille</b>	d holes	11. None ( o <sub>l</sub>	en hole)	
2. Louvered shutte	er 4. Kev	punched 6. V	Vire wrapped		8. Sav	v cut	10. Othe	r (specify)			
SCREEN - PERFORA	•	•	<b>40</b> ft.	to	100	ft.,	From		4-	£,	
SCREEN - PERFORA	ATION INTERVA	L From From	ft.	to	100	ft.,	From	ft.	to	ft.	
GRAVEL DA	CK INTERVALS:		24 ft.	to	100	ft.,	From	ft. ft.	to to	ft. ft.	
O TOTAL TA	OK INTERVALO	From	ft.	to	100	ft.,	From				
C GROUT MATER	IAI S:							ft. Other hent	to	ft.	
1. Near cement 2. Someth close									<b>g</b> ft.		
What is the nearest source of possible contamination:					ft. to  Livestock pens		ft.,				
1. Septic tank 4. Lateral lines						•		13. Insecticide storage 15. Oil well/Gas well 16. Other (specify below)			
2. Sewer lines	5. <b>Ces</b>	31 001	Sewage lagoon		Fuel stor	_	14. Abando	on water well	16. Other (spe	city below)	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage  Direction from well? West How many feet? 10 ft. plus											
From To	1 1	LITHOLOGIC	CLOG		From	То	riow ma		GIC LOG		
0 3	topsoil	EIIIIOEGGIC	7200		110/11	- 10		LITTIOLO	0.0 200		
3 14	clay										
14 80	gray shale										
80 84 84 100	limestone grey shale										
37 100	grey sirate										
	<u> </u>										
7 Contractor's or	Landowner's Cer	rtification: This water	well was 1. Const	ructed	2 rec	onstructe	or 3, p	olugged	under my jurisdicti	on and	
was completed on		12/22/2010					knowledge and b		,,		
· ·						•	•		7/2010		
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp											