	WATER W	VELL R	ECO	RD F	orm WV	VC-5 K	(SA 82a-	1212				
1 LOCATION OF WATER WELL:	FRACTION				SEC	SECTION NUMBER				RANGE NUMBER		
Sedgwick	NW 1/4	NW	1/4	SE	1/4	11	T	27	S	R	2E	Ε/W
Distance and direction from nearest town or city	street address of we	ell if located	within c	ity?								
2514 N. Graystone	Wichita, K											
1=1	STON, Patri							ь	and of A	adouttura Divis	ion of Ma	tor Denouses
1	N. Grayston	1e						ь	Oard Or Ag	griculture, Divis	ION OT VVS	ler Resource
CITY, STATE: Wich	nita, Kansas					P CODE:		Арр	lication Nu	ımber:		
	DEPTH OF COM	PLETED \	WELL:	12	6 ft.		ELEVATIO	N:				
WITH AN "X" IN SECTION BOX: De	oth of groundwate	er Encoun	tered:		ft				ft.			ft.
	ELL'S STATIC W	ATER LE	VEL	45	FT. BELC	W LAND SU	JRFACE ME	ASURED	ON mo	/day/yr:	5/11/	11
	Pt	ump test d	lata:	Well wat	ter was		ft. afte	г	hou	rs of pumpin	g @	gpm
	Est. Yield:	gpm	1	Well wa	ter was		ft. afte	г	hou	rs of pumpin	g @	gpm
₩ E B	ore Hole Diamete	er 1	1 2 i	in.	to 4	15 ft	. and		in.		to	ft.
	ELL WATER TO							9.	Dewate	ring ¹	1. Inject	tion well
		3. Feedlot					and garden				her (Spe	ecify below)
	_	l. Industri				/ 8. Air coi				ing well , what mo/da	av/vr ws	as samnla
	/as a chemical/bact bmitted	enological s	sample s	upmitted to L	Jepariment?	YES Was \	NO Water Well D			YES	Ayryi We	
5 TYPE OF CASING USED:					0.0	ther (Specifi	•	CASING		Glued		Threaded
1. Steel 3. RPM (SF	₹) 5. Wrough	nt Iron	7.	Fiberglass			y below)	CASING	JOINTS.	Welded		Clamped
2. PVC 4. ABS	6. Asbesto	os-Cemen	t 8.	Concrete ti	_{ile} SD	R-26				** 61060		Ciampeu
Blank casing diameter 5	in. to	40 f	t.,	Dia.	in.	to	ft.,	Dia.		in.	to	ft.
Casing height above land surface:	12 in		١٨	Veight:	2.35	bs / ft	\٨/:	all thickne	ee or ga	uge No	.214	
TYPE OF SCREEN OR PERFORATION			•	voigni.	2.55	D3. 7 It.	***	air triickne	oo or gar	uge No.	.214	
1. Steel 3. Stainless Steel	5. Fiberglass	s '	(7. F	PVC	9. A	BS	11	l. Other (s	pecify)			
2. Brass 4. Galvanized	6. Concrete	Tile	8. F	RMP (SR)	10. A	sbestos-Ce	ment 12	2. None us	sed (ope	n hole)		
SCREEN OR PERFORATION OPENING	S ARE											
1. Continuous slot 3. Mill slo		Gauzed v	wrappe	ed	7. T c	rch cut	9.	Drilled ho	oles	11. N	one (op	en hole)
			• • •			w cut					\ -p	,
2. Louvered shutter 4. Key po	unchea 6.	Wire wra	ıppea		_	W Cut	10.	Other (sp	есну)			
SCREEN - PERFORATION INTERVAL	From	40	ft.	to	126	ft.,	From		ft.		to	ft.
	From		ft.	to		ft.,	From		ft.		to	ft.
GRAVEL PACK INTERVALS:	From	24	ft.	to	126	ft.,	From		ft.		to	ft.
	From		ft.	to)	ft.,	From		ft.		to	ft.
6 GROUT MATERIALS: 1. Neat	cement	2 Ca	ment G	Prout		3. Bentonite	.	Othe	r ben	tonite ho	le niu	<u> </u>
Grout Intervals: From 4	ft. to		ft	From	ft.	to	, ft.		rom	ft.	to	Б ft,
What is the nearest source of possible co			•									
1. Septic tank 4. Lateral	lines	7. Pit priv	y	1	0. Livestoc	k pens	13. ins	secticide	storage		well/Ga	
2. Sewer lines 5. Cess F	Pool Pool	8. Sewage	e lagoc	on 1	11. Fuel sto	rage	14. Ab	andon w	ater wel	16. Oti	ner (spe	cify below)
3 Watertight sewer line 6. Seepa	ge pit	9. Feed y a	ard	1	12. Fertilize	r storage						
Direction from well? East							Hov			ft. plus		
From To	<u>LITHOLOGI</u>	<u>IC LOG</u>	<u>; </u>		From	То		LI	THOL	<u>OGIC LC</u>	<u>)G</u>	
0 3 topsoil					 	ļ <u>.</u>						
3 18 clay					 							
18 75 shale 75 78 limestone				·	-	<u> </u>						
75												
70 120 gray snate												
						ļ	ļ					
						 						
					ļ <u>.</u>					****		
					 							
					1	<u> </u>	 					
					1	 						
7 Contractor's or Landowner's Certific	cation: This water	r well was	10	onetructo	.	constructe	d or 3,	plugg	ned	under my ji	risdictio	on and
			_						=	unuer my J	arrautCtfC	n anu
was completed on (mo/day/year)	5/11/2011	L	and f	tnis record	is true to the	e best of my	knowledge a	and belief				
Kansas Water Well Contractor's Licens	se No. 236		Th	nis water we	ell record wa	as completed	d on (mo/day	//year)	5/1	3/2011		
under the business name of Harp	Well and Pu	mp Ser	vice		by (s	gnature)		TAN	17.	S. Ha	M	
			-					<u>, </u>	w.	<i>y.</i> 100	7 P	