WATER WELL RECORD		WWC-5	Division of Water Resources App. No.		
1 LOCATION OF WATER W	Fraction	Www.17 CS - 17	Section Number	Township No.	Range Number R X E □W
County: Street/Rural Address of Well I	1/4 NW 1/4 N	2 Pr direction	Global Positioning		
from nearest town or intersect					(in decimal degrees)
13h a 7 E	Ayesbury S	icck liefe			(in decimal degrees)
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7. 136	Ċ.	Elevation:		
Willy	a, 155 6722	0		4, □ NAD 83, □	NAD 27
2 WATER WELL OWNER:	Mel Buckers		Collection Method:		
RR#, Street Address, Box #:	BURY E AYES!	oury or	GPS unit (Mak	ce/Model:)
City, State, ZIP Code :	Wich to KS	10228	Digital Map/Ph		c Map, ☐ Land Survey
2 WATER WELL OWNER: MEI Buckers RR#, Street Address, Box #: City, State, ZIP Code With tay KS U7228 Batum: WGS 84, NAD 83, NAD 27 Collection Method: GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m					
WITH AN "X" IN 4 DE	PTH OF COMPLETED W	ELL 50	ft.		
SECTION BOX: Depthe	(s) Groundwater Encountered	d (1)	ft. (2)	ft. (3) ft.
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. عن الله الله الله الله الله الله الله الل					
Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELD 30gpm. Well water wasft. after hours pumping gpm					
W Bore Hole Diameter .1.2in. to					
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
water	well disinfected? Yes	□ No			
5 TYPE OF CASING USED: Steel PVC Other					
CASING IOINTS: Total Clamped					
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter fin. to f					
Casing height above land surface. 12 in. Weight .2.4 lbs./ft. Wall thickness or gauge No.11.0091					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From J ft. to J.J ft., From ft., From ft., From ft., From ft., From ft. to ft., From ft. ft. ft. ft. ft. ft. ft. ft. ft					
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well					
Direction from well			from well 45		
	THOLOGIC LOG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	IGGING INTERVALS
O 3 Top for	У				
3 30 Clay					
30 57 limest				· · · · · · · · · · · · · · · · · · ·	
57 80 Blue S	noce				
	· ·				
7 CONTRACTOR'S OR LANI	DOWNER'S CERTIFICAT	TION: This water	r well was constr	ucted, 🗌 reconstr	ucted, or plugged
under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No. 7.70 This Water Well Record was completed on (po/day/year) 5.70					
under the business name of white the business name of white the business name of the business					
INSTRUCTIONS: Use typewriter or ball point for PLEASE PRESS FRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment Sureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212					