WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WA		Fraction NW4SE 14N	= 1/4 1/4	Section	n Number	Township No.	Range Number R	
Street/Rural Address		funknown distance	& direction		Positioning	System (GPS) is		
from nearest town or intersection: If at owner's address, check here					Latitude:			
					Longitude: (in decimal degrees) Elevation:			
				Detum			 1 NAD 27	
2 WATER WELL OWNER: Ashley Graf RR#, Street Address, Box #: 2715 N woodridge Ct City, State, ZIP Code : Wichta, KS					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR# Street Address Box # 2716 A 1 12000 Cide C +					GPS unit (Make/Model:)			
City State ZIP Code				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Oity, State, 211 code	· Wich	11ta,165		Est. Ac	curacy: \square <	3 m. \square 3-5 m. \square] 5-15 m,	
3 LOCATE WELL	T				<u> </u>	<u> </u>	, v . v , <u> </u>	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEI	LL	00	ft.			
SECTION BOX:	Depth(s) Ground	lwater Encountered	(1)	ft.	(2)	ft.	(3) ft.	
N							lay/yr	
Pump test data: Well water wasft. after hours pumping								
ECT VIELD A -A								
W - NW - NE - EST YIELD gpm well water was								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE								
West a chamical/heaterial animal symmetric day Denorthment?								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes								
5 TYPE OF CASING USED: Steel VPVC Other								
CASING JOINTS: X Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From 40 ft. to 6. ft., From ft. to ft.								
From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.								
Grout Intervals: From	1 ft. to	? ft., From	m	ft. to	ft.,	From	ft. toft.	
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☑ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well							***************************************	
FROM TO	LITHOLOG	·	FROM	TO			JGGING INTERVALS	
		ic Edd_	TROM	10	LITTIO, L	50 (cont.) <u>or</u> 1 L c	OGGING INTERVALS	
0 01 01	p Soil		+					
21 21 Cla 21 36 Tan	dias la		+ +					
21 36 Tan.	<u>shale</u>		-					
21 36 Tan. 36 100 Owe	Shale		+					
						divised Dec	• • •	
						iginal Ketun	ned to Sender	
					ra	r Correction	Date: 6-10-11	
			-					
T CONTRACTORIS OF	D. I. ANDONALED	AC CERTIFICATIO	NY TI:			. 1 🗔		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 121 This Water Well Record was completed on (mo/day/year)51231								
under the business name of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								