WATER WELL RECORD		Form WW	'C-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:		Fraction		Section Number Township No. Range Number
		14 NW 14 NE 1	/4 SE 1/4	2 T 27 S R 2 ZE W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:				
				Latitude: (in decimal degrees)
13704 Ayesbury			Longitude: (in decimal degrees)	
Wichita, Kansas 67228			Elevation:	
2 WATER WELL OWNER: Matt Peters Construction			- Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
RR#, Street Address, Box #: 7819 E. 45th St. N.			Collection Method:	
City, State,	7ID C1-	, KS 67226		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
Del Alle,		, NO 0/220		Est. Accuracy:
3 LOCATE WELL				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 81 ft.				
	SECTION BOX: Depth(s) Groundwater Encountered (1).64			
WELL'S STATIC WATER LEVEL. 64 ft. below land surface measured on mo/day/yr. 7/26/.11 Pump test data: Well water was ft. after				below land surface measured on mo/day/yr(140/.1.1
I DOM VIEW DOO				
W -NW - -NE - EST. YIELD. 20gpm. Well water wasft. after hours pumpinggpm gpm EST. YIELD. 20gpm. Well water wasft., andft., andft.				
WELL WARRENCE TO THE COLUMN THE C				
SW SE				
Was a chemical/bacteriological sample submitted to Department? Yes V No				
S If yes, mo/day/yr sample was submitted				
1 mile	Water well disin	fected? ✓ Yes No	C	
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter .5 in. to .60 ft., Diameter in. to ft., Diameter in. to ft.				
Casing height above land surface12				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ Other (Specify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)				
SCREEN-PERFORATED INTERVALS: From 60 ft. to 81 ft., From ft. to ft.				
Fromft. toft. Fromft. toft.				
GRAVEL PACK INTERVALS: From				
From				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout				
Grout Intervals: From .3				
What is the nearest source of possible contamination:				
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well				
			Fertilizer s	
	om well North			from well .30'
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 3	Topsoil			
3 40	Clay			
40 81	Limestone			
				**
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .7/26/11				
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 7/26/11				
under the business name of Premier Pump & Well Service Inc. by (signature) by (si				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy				