WATER WELL REC	CORD	Form	WWC-5	D	ivision of Wate	r Resources App. No	o. []	
1 LOCATION OF WA	TER WELL:	Fraction 1/4 2	3185	Secti	<del></del>	Township No.	Range Number	
County: Sea	W)CIC	1406 1/42	5W 1/4 3E 1/4	GL I	<u> </u>		R → DE □W	
Street/Rural Address of	ce et difection	Olone	Global Positioning System (GPS) information:  Latitude:					
from nearest town or intersection: If at owner's address, check here					Longitude: (in decimal degrees)  Longitude: (in decimal degrees)			
000 / 11 500 / 4 F6 11 50 1 50 1					Elevation:			
2 WATER WELL OWNER: STONE Shirt Should						4, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OWNER: Steve Slusher RR#, Street Address, Box #: 20 f N Loch Lornandt					Collection Method:   GPS unit (Make/Model:)			
City, State, ZIP Code : Wi Chita, KS 47228.					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	WIC	ruta, es	41238	Est. A	Accuracy: C	3 m, ☐ 3-5 m, ☐	5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED W	FLL //	4	ft			
SECTION BOX:	Depth(s) Ground	lwater Encountered	d (1)	ft.	(2)	ft. (	3)ft.	
SECTION BOX:  Depth(s) Groundwater Encountered (1)								
Pump test data: Well water wasft. after hours pumping								
EST. YIELD								
W   E   Bore Hole Diameter								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
					·			
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From								
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 3 ft. to 40 ft., From ft. to ft., From ft. ft. to ft.								
What is the nearest source of possible contamination:								
☐ Septic tank       ☐ Lateral lines       ☐ Pit privy       ☐ Livestock pens       ☐ Insecticide storage       ☐ Other (specify below)         ☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well							er (specify below)	
Watertight sewer lipes Seepage pit Feedyard Fertilizer				_	Oil well/ga			
Direction from well					ell 600		CODIC DIFFERNAL C	
FROM TO	LITHOLOG	HC LOG	FROM	TO	LITHO, LO	JG (cont.) <u>or</u> PLU	GGING INTERVALS	
	JOL							
3 30 cla	7							
30 31 Fine	Sord.						<del>,</del>	
31 48 Brok	en June.	stone						
Wa 1 1011 00	/ /							
48 104 Blu	e April.							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of Well Mark Drille								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Ser	nd one copy to WAT							
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212								
. — . —								