	· · · · · · · · · · · · · · · · · · ·	ELL RECORD	Form vv	/VC-5 K	SA 82a-12	12		
1 LOCATION OF WATER WELL:	FRACTION	CXXI	_ !	TION NUMBER		PNUMBER	RANGE NI	JMBER
Sedgwick	SE 1/4	SW 1/4 S	E 1/4	11	<u> </u>	7 s	R 2F	E/W
Distance and direction from nearest town or co	•							
2212 N. Flutter Ct.	Wichita,							
	ARP CONSTR	UCTION				Deput of Acres	- N	
	S. Walnut					Board of Agno	culture, Division of V	/ater Resource
, , , , , , , , , , , , , , , , , , , ,	gusta, Kansas	·····		IP CODE:		Application Num	ber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COMPL	ETED WELL:	117 ft.		ELEVATION:			
	epth of groundwater	Encountered:	fi	t.		ft.		ft.
	VELL'S STATIC WAT	TER LEVEL 40	FT. BELO	OW LAND SU	JRFACE MEASL	JRED ON mo/d	ay/yr: 4/26	/12
NW - NE	Pum	np test data: Well	water was		ft. after		of pumping @	gpn
	Est. Yield:		water was		ft. after		of pumping @	gpm
₩ E	Bore Hole Diameter	12 in.	to	11 7 ft.	and	in.	to	ft.
	VELL WATER TO BE					9 Dewaterin	44.1.	ction well
SW SE	1. Domestic 3. F	Feedlot 5. Public	water supply	7. Lawn a	ind garden only		12. Other (Sp	
	2. Irrigation 4. I	ndustrial 6. Oil fiel	d water suppl	y 8. Air con	ditioning	10. Monitorin	g well	-
S		ological sample submitted	to Department?	YES	NO		/hat mo/day/yr w	
	submitted			Was V	Vater Well Disini	fected?	YES N	10
5 TYPE OF CASING USED: 1. Steel 3. RPM (5. Wrought I	ron 7. Fibergla	ass 9. C	ther (Specify	below) CAS	ING JOINTS: 🤇	Glued	Threaded
` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	6. Asbestos-	Cement 8. Concre	te tile SD	R-26			Welded	Clamped
2. PVC 4. ABS								
Blank casing diameter 5		10 ft., Dia.	in.	to	ft.,	Dia. ir	n. to	ft.
Casing height above land surface:	12 in.,	Weight:	2.35	bs. / ft.	Wall th	ickness or gauge	e No214	
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:							
1. Steel 3. Stainless Steel	Fiberglass	7. PVC	9. <i>F</i>	AB\$	11. Otl	her (spe c ify)		
Brass 4. Galvanized	Concrete Til	e 8. RMP (SI	R) 10. A	Asbestos-Cen	nent 12. No	ne used (open h	nole)	
SCREEN OR PERFORATION OPENIA	NGS ARE:							
1. Continuous slot 3. Mill s	slot 5. G	auzed wrapped	7. T c	rch cut	9. Drill	ed holes	11. None (o	pen hole)
2. Louvered shutter 4. Key	punched 6. W	/ire wrapped	(8 S	w cut	10 Oth	er (specify)	•	. ,
	•		_	W COL	10. 0111	er (specify)		
SCREEN - PERFORATION INTERVAL	From	40 ft.	to 116	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	24 ft.	to 116	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	
6 GROUT MATERIALS: 1. Nea	4 4				·			ft.
Could be a 24 o 5								ıg
What is the nearest source of possible		24 ft., Fron	n ft.	to	ft.,	From	ft. to	ft.
1. Septic tank 4. Later	7	Pit privy	10. Livestoo	k pens	13. Insecti	cide storage	15. Oil well/G	as well
2. Sewer lines 5. Cess	Pool 8.	Sewage lagoon	11. Fuel sto	rage	14. Aband	on water well	16. Other (sp	ecify below)
3. Watertight sewer line 6. Seep		Feed yard	12. Fertilize	r storage				
Direction from well? North	age pit	,		· • • • • • • • • • • • • • • • • • • •	How ma	ny feet? 10 ft	t nluc	
From To	LITHOLOGIC	LOG	From	То	11047 1116	LITHOLO		
0 3 topsoil	<u> </u>		1 (011)	'0		LITTIOLO	GIC LOG	
3 10 clay				 				
10 40 brown shale								****
40 117 gray shale								
				 				
				-	· · · · · · · · · · · · · · · · · · ·			
7			\dashv	L				
7 Contractor's or Landowner's Certi		ell was 1. construc	ted 2, re	constructed	or 3. F	olugged u	nder my jurisdiction	on and
was completed on (mo/day/year)	4/26/2012	and this reco	rd is true to the	best of my k	nowledge and b	elief.		
Kansas Water Well Contractor's Lice	nse No. 236	This water	well record wa	s completed	on (mo/day/year	r) 4/30/2	2012	
	•			-		,		
under the business name of Harp	wen and Pum	p service	by (si	gnature)	To	raa S.	Harp	