WATE	R WE	LL REC	CORD	Form W	WC-5	Division of Wa	ter Resources App. No		
WATER WELL RECORD 1 LOCATION OF WATER WELL: Fracti				Fraction NE SW		Section Number		Range Number	
County: Sedgwick						T 27 S	R 2 ZE □W		
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioni	ng System (GPS) in		
from nearest town or intersection: If at owner's address, check here \Box .						Latitude: (in decimal degrees)			
128	12828 E. Churchill St.						Longitude: (in decimal degrees)		
Wichita, KS 67230							84. 🔲 NAD 83, 🔲		
2 WATER WELL OWNER: Moeder Construction						Collection Method		NAD 27	
RR#, Street Address, Box #: 4700 W Irving						GPS unit (Make/Model:)			
City State 71D Cada				KS 67209	S 67209 Digital Map/Photo, Topographic Map, Land S Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15			c Map, 🗌 Land Survey	
3 LOCATE WELL						Est. Accuracy:	<3 m, 🗌 3-5 m, 📋	5-15 m, 🛄 >15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL <u>120</u>									
1	SECTION BOX: Depth(s) Groundwater Encountered (1) 50 ft (2) ft (3) ft (3)								
	SECTION BOX: Depth(s) Groundwater Encountered (1).50 ft. (2)								
Pump test data: Well water wasft. after hours pumping							ping gpm		
EST. YIELD. 5							ping gpm		
W E Bore Hole Diameterin. to									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
S	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	□ Irrigation □ Industrial ☑ Domestic-lawn & garden □ Monitoring well Was a chemical/bacteriological sample submitted to Department? □ Yes ☑ No								
S If yes, mo/day/yr sample was submitted									
	1 mile			fected? 🔽 Yes 🔲		· · · · · · · · · · · · · · · · · · ·			
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casir	ig diame	ter .5	in. to . <u>60</u>	ft., Diameter	in.	to ft.,	Diameter	. in. to ft.	
Casing diameter .5 in. to .60 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface. 12 in., Weight 2.5									
TYPE	OF SCRI	EEN OR	PERFORATION	MATERIAL:					
□ Steel □ Stainless Steel ℤ PVC □ Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From									
Grout Intervals: From .3									
		est source	of possible conta	mination:			., 110111		
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage							ed water well		
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well North Distance from well 12'								•••••	
FROM	TO		LITHOLOG		FROM			GGING INTERVALS	
0	3	Topsoil			TRONT			dointo intribict ALS	
3	40	Clav							
40	120	Limesto	one	-			·····		
								•	
·									

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Z constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .3/.4/13 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No238									
under the business name of Premier Pump & Well Service Inc									
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY and PRINT clearly</u> . Please fill in blank and check the correct inswers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a						Check: 🔽 W	/hite Copy, 🔲 Blu	e Copy, 🔲 Pink Copy	
						,			