		WATER WELL RE	CORD F	orm WW	C-5 K	SA 82a-1212	2			
1 LOCATION	OF WATER	WELL: FRACTION		SECT	ON NUMBER	TOWNSHIP	NUMBER	RANGE NUMB	BER	
Sedgw	ick	SE 1/4 NE	1/4 NE	1/4	11	Т 27	s	R 2E	E/W	
Distance and	direction fron	nearest town or city street address of well if located w	vithin city?	<u>ii</u>		- Joséon requestrativos mentrales				
14305	E. Chui	ch Hill Circle Wichit	a, Kansas							
2 WATE	R WELL O	VNER: ROBL CONSTRUCTION	V							
	ADDRESS,	5842 W. 21st N.					Board of Agric	culture, Division of Water	r Resource	
	CITY,			ZIF	CODE:		Application Num	ber:		
3 LOCATE	WELL'S LO	CATION 4 DEPTH OF COMPLETED W	/FIL: 95			ELEVATION:		ani in antana antana antana in in	· · · · · · · · · · · · · · · · · · ·	
WITH AN	"X" IN SEC	ION BOX:		ft.			ft.		ft.	
l , , , , , ,	- N	Depth of groundwater Encounte						. E/8.6.44		
		WELL'S STATIC WATER LEVI			V LAND SU	RFACE MEASUF			3	
1 1	MM	-NE- Z				ft, after		of pumping @	gpm	
Wile w		Est. Yield: gpm	Well water			ft. äfter	hours	of pumping @	gpm	
		E Bore Hole Diameter 12		to 9 :	5 ft.	and	in.	to	ft.	
_	614	WELL WATER TO BE USED A			7 Lawa a	nd gardon only	9. Dewaterir	•		
12. Other (Specify Below										
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample										
	Š	was a chemical/bacteriological sa submitted	mple submitted to De	epariment?	YES Was V	NO Vater Well Disinfe		YES NO	Jumpio	
5 TYP	E OF CAS	NG USED:	·					=		
	Steel	3. RPM (SR) 5. Wrought Iron	7. Fiberglass		ner (Specify	pelow) CASII	NG JOINTS: C		readed	
	PVC	4, ABS 6. Asbestos-Cement	8. Concrete tile	e SDF	R-26			Welded Cl	lamped	
	ng diamete	T. ABO			to	ft., D	ia. i	n to	ft.	
1	-	10		in.	to	,		n. to	П.	
1	•	and surface: 12 in.,	Weight:	2.35 lb	s. / ft.	Wall thic	kness or gaug	e No214		
		R PERFORATION MATERIAL:				44 07				
1. Steel	1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
2. Brass	s 4	Galvanized 6. Concrete Tile	8. RMP (SR)	10. As	sbestos-Cer	nent 12. Non	e used (open	hole)		
SCREEN C	OR PERFO	RATION OPENINGS ARE:								
1. Contin	uous slot	3. Mill slot 5. Gauzed w	rapped	7. Tor	ch cut	9. Drille	d holes	11. None (ope	n hole)	
2 1 0000	red shutte	4. Key punched 6. Wire wrap	nad	(8. Sav	w cut	10 Other	(specify)			
			•			10. 01110	(Specify)			
SCREEN -	PERFORA	FION INTERVAL From 45	ft. to	95	ft.,	From	ft.	to	ft.	
		From	ft. to		ft.,	From	ft.	tó	ft.	
GF	RAVEL PA	CKINTERVALS: From 24	ft. to	95	ft.,	From	ft.	to	ft.	
		From	ft. to		ft.,	From	ft.	to	44	
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug										
1	ntervals:	From 4 ft. to 24	ft., From	ft.	to	ft.,	From	ft. to	ft.	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy					Livestock pens		13. Insecticide storage 15. Oil		well/Gas well	
9 Course lesses 11 Firel e						14. Abandon water well 16. Other (specify below				
2. Sewer		0. 0ess 1.001	·		_	TH. Abaniao	ii water wen			
	tight sewe		ra 1.	2. Fertilizer	storage	4.1	10.4	A salada		
Direction from well? West								y feet? 10 ft. plus LITHOLOGIC LOG		
From	<u>To</u>	LITHOLOGIC LOG	··········	From	То		LITHULU	IGIC LUG		
0	3	topsoil		<u> </u>		444				
3	10	clay						<u> </u>		
10	30	brown shale								
30	90 95	gray shale								
90		limestone			-		<u></u>	<u></u>		
								was a state of the	·····	
	<u> </u>							·		
								······································		
									· · · · · · · · · · · · · · · · · · ·	
			······································							
ZION A	2 1/2 200 100									
7 Cont	ractor's or	andowner's Certification: This water well was	1. constructed) 2 ra	constructe	d or 3, p	lugged	under my jurisdiction	n and	
						· · ·		, ,	==	
was cor	npieted on	(mo/day/year) 5/28/2013	and this record i	s true to the	best of my	knowledge and b	ellet.			
	1,100	Contractor's License No. 236				d on (mo/day/year	. = /^ ^	/2013		

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp