WATER WELL RECORD Form WWC-5 KSA 82a-1212

			SA 82a-1212				
1 LOCATION OF WATER WELL:	FRACTION	SECTION NUMBER	1	RANGE NUMBER			
Sedgwick		1/4 2	T 27 S	R 2E E/W			
Distance and direction from nearest town	or city street address of well if located within city?						
2232 N. Loch Lomond	Ct. Wichita, Kansas		and the second s				
2 WATER WELL OWNER: 1	BRANOM, Thomas						
	2232 N. Loch Lomond Ct.		Board of Agr	iculture, Division of Water Resource			
CITY, STATE:	Wichita, Kansas	ZIP CODE:	Application Nur	mber:			
3 LOCATE WELL'S LOCATION	4 DEPTH OF COMPLETED WELL: 100	ft.	ELEVATION:	. 2 ^{- 2} - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
WITH AN "X" IN SECTION BOX:				r.			
N	Depth of groundwater Encountered:	ft.	ft.	ft.			
	WELL'S STATIC WATER LEVEL 47 F	T. BELOW LAND SU	RFACE MEASURED ON mo/	day/yr: 7/10/13			
NW NE	Pump test data: Well water	was	ft. after hour	s of pumping @ gpm			
<u>o</u>	Est. Yield: gpm Well water	was	ft. after hour	s of pumping @ gpm			
Mile W	Bore Hole Diameter 12 in.	to 100 ft.	and in.	to ft.			
F	WELL WATER TO BE USED AS:		9. Dewater	ing 11. Injection well			
swse	1. Domestic 3. Feedlot 5. Public water	supply 7. Lawn a	nd garden only	12. Other (Specify below)			
	2. Irrigation 4. Industrial 6. Oil field wat	er supply 8. Air con	ditioning 10. Monitori				
S	Was a chemical/bacteriological sample submitted to Dep		NO ; If yes,	what mo/day/yr was sample			
	submitted		Vater Well Disinfected?	YES NO			
5 TYPE OF CASING USED:	5. Wrought Iron 7. Fiberglass	9. Other (Specify	below) CASING JOINTS:	Glued Threaded			
	PM (SR) 5. Wrought Iron 7. Fiberglass		· , · · · · · · · · · · · · · · · · · ·	Welded Clamped			
2. PVC 4. AE	BS 6 Asbestos-Cement 8 Concrete tile	SDR-26		. Service of			
	5 in, to 45 ft., Dia.	in. to	ft., Dia.	in, to ft.			
Casing height above land surface		.35 lbs. / ft.	Wall thickness or gau	ge No214			
TYPE OF SCREEN OR PERFOR			44 Other (administra				
1. Steel 3. Stainless S		9, ABS	11. Other (specify)				
2. Brass 4. Galvanized	d 6. Concrete Tile 8. RMP (SR)	Asbestos-Cer	nent 12. None used (oper	n hole)			
SCREEN OR PERFORATION OF	PENINGS ARE:						
	Mill slot 5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None (open hole)			
2. Louvered shutter 4.	Key punched 6. Wire wrapped	8. Saw cut	10. Other (specify)				
SCREEN - PERFORATION INTER	RVÁL From 45 ft. tó	100 ft.,	From ft.	to ft.			
	From ft. to	ft.,	From ft.	to ft.			
OF AVEL BY OK INTERV	* · · · · · · · · · · · · · · · · · · ·						
GRÁVEL PÁCK INTERVA	ALS: From 24 ft. to	100 ft.,	From ft.	to ft,			
	From ft. to	ft.,	From ft.	to ft.			
6 GROUT MATERIALS: 1.	. Neat cement 2. Cement Grout	3. Bentonite	Other ben	tonite hole plug			
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of poss	1 11 11 11 11 11 11 11 11 11 11 11 11 1	11. 10	11., 110,111	10 10			
			13. Insecticide storage	15. Oil well/Gas well			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below							
O Footbase 40 Foot							
	Seepage pit 9. Feed yard 12	. reitilizer storage	Idaiu manu taata 10	ft plus			
Direction from well? East	1,71,01,00101.00		How many feet? 10				
From To	LITHOLOGIC LOG	From To	LITHOL	OGIC LOG			
0 3 topsoil	and the state of t						
3 10 clay							
10 90 gray sha				<u> Allen Mineral de la Carte de</u>			
90 100 limeston	ne			<u></u>			
	the state of the s						
ai an ain air							
	<u></u>			· · · · · · · · · · · · · · · · · · ·			
	· · · · · · · · · · · · · · · · · · ·						
				<u> </u>			
				1			
7 Contractor's or Landowner's	a Cartification. Thist) 0 maanustuusts	d or 2 nlugged	under my jurisdiction and			
was completed on (mo/day/year) 7/10/2013 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 7/12/2013							
1		Table 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	under the business name of Harp Well and Pump Service by (signature) Todd S. Horp				