WATE	R WEI	LL RECORD	Form W	WC-5	Division of Wat	er Resources App. No	o
1 LOCATION OF WATER WELL:			Fraction		Section Number		Range Number
County: Sedawick			1/4 NE 1/4 SE			T 27 S	R 2 []E □]W
		Address of Well Location;		Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here \mathbf{V} .					Latitude: (in decimal degrees)		
15712 E. Boxthorn St					Longitude: (in decimal degrees) Elevation:		
Wichita, KS 67228					Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Sharp Homes					Collection Method:		
RR#, Street Address, Box #: 430 WALNUT ST.					GPS unit (Make/Model:)		
City, State, ZIP Code : Augusta, KS 67010					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey <u>Est. Accuracy</u> : ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 100							
SECTION BOX: Depth(s) Groundwater Encountered (1).80 ft. (2)ft. (3)							
N WELL'S STATIC WATER LEVEL50 ft. below land surface measured on mo/day/yr Pump test data: Well water wasft. after							ay/yr
							ning onm
- NW - - NE - ESI. YIELD							ft.
WELL WATER TO BE USED AS: Dublic water supply Geothermal Injection well							njection well
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
× □ Irrigation □ Industrial 🗹 Domestic-lawn & garden □ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? □ Yes ✓ No S If yes, mo/day/yr sample was submitted							
$ mile Water well disinfected? \square Yes \square No$							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: 🗹 Glued 🗌 Clamped 🗌 Welded 🔲 Threaded							
Casing diameter 5" in to ft Diameter in to ft Diameter in to ft							
Casing height above land surface12"							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel V Other (Specify)							
Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole) Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Z Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
From							
GRAVEL PACK INTERVALS: From. 20 ft. to							
From							
6 GROUT MATERIAL: Neat cement Cement grout D Bentonite Other							
Grout Intervals: From .3'							
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well							
				T T	from well		
FROM 0	TO 3	LITHOLOG		FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	GGING INTERVALS
3	25	TOP SOIL YELLOW CLAY					
25	32	SHALE (LIGHT)				-,	
32	45	SHALE (DARK)	· · · · · · · · · · · · · · · · · · ·	<u> </u>			
45	100	SHALEY LIME	••••••				
L							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .0.5/1.9/2013 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 493 This Water Well Record was completed on (mo/day/year)							
under the business name of Reiserer Well Drilling by (signature)							
INSTRUC	CTIONS:	Use ty pewriter or ball point pen.	PLEASE PRESS FIRML	Y and <u>PRINT</u> cle	arly. Please fill in blank	s and check the correct	t answers. Send three copies
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							