WATE	R WEI	LL RECORD	Form W	WC-5	Div	vision of Water	Resources App. No	,	
1 LOCATION OF WATER WELL:			Fraction			on Number		Range Number	
County: Sedgwick			1/4 SW 1/4 SE	1/4 SE 1/4		1	T 27 S	R 2 ØE □W	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
2216 N. Flutter					Longitude: (in decimal degrees)				
Wichita, KS 67228					Elevation:				
2 WATER WELL OWNER: Nies Homes					Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 10333 E. 21st St. N. #303					GPS unit (Make/Model:)				
City, State, ZIP Code : Wichita, KS 67206					Digital Map/Photo, Topographic Map, Land Survey				
Wichida, NS 07200					Est. Accuracy: C <3 m, 3-5 m, 5-15 m, >15 m				
3 LOCATE WELL									
1	WITH AN "X" IN SECTION BOX:4 DEPTH OF COMPLETED WELL 140 Depth(s) Groundwater Encountered (1) 110 ft (2)ft (3) 								
SECI	ECTION BOX: NDepth(s) Groundwater Encountered WELL'S STATIC WATER LEVEL.50(1).110 								
	WELL'S STATIC WATER LEVELtt. below land surface measured on mo/day/yr Pump test data: Well water wasft. after								
w NV									
│" ┝──┥	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SU SU	-SW- -SE- = Domestic = Feedlot = Oil field water supply = Dewatering = Other (Specify below)								
	Invigation Industrial I Domestic lown & gorden I Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? Ves V No								
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? □ Yes ↓ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5" in. to ft. Diameter in. to ft. Diameter ft.									
Casing height above land surface12"									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
□ Steel □ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From. 20. ft. to ft., From ft. to ft. to ft.									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: □ Neat cement □ Cement grout ☑ Bentonite □ Other									
Grout Intervals: From .3'									
What is the nearest source of possible contamination:									
	Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
		ht sewer lines Seepage p	it Feedvard	Fertilizer st		Oil well/ga			
Direc	tion from	n well East		Distance					
FROM	ТО	LITHOLOG		FROM	TO			GGING INTERVALS	
0	3	TOP SOIL							
3	25	YELLOW CLAY							
25	32	SHALE (LIGHT)							
32	45	SHALE (DARK)							
45	100	SHALEY LIME							
100	105	RED BED							
105	140	SHALE & LIME							
								The Advance in	
		· · · · · · · · · · · · · · · · · · ·							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗌 reconstructed, or 🗋 plugged									
under my jurisdiction and was completed on (mo/day/year) .10-18-2012 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 493 This Water Well Record was completed on (mo/day/year)									
under the business name ofReiserer Well Drilling									
(white, blue	ue, pink) to	o Kansas Depar tment of Health	and E nvironment. Bureau	of Water. Geolo	gy Section	n, 1000 SW Jac	kson St., Suite 420.	Topeka, Kansas 666 12-1367.	
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each constructed well. Vi sit us at									
http://www.kdheks.gov/waterwell/index.html.									