		LL DECODD				D		
		LL RECORD	Form W	WC-5		r Resources App. No Township No.	Range Number	
	unty: Se	N OF WATER WELL:	Fraction SW 45E 4 SI	= 1/ NE 1/	3'		$R 2 \qquad \square E \square W$	
		Address of Well Location;			-			
		town or intersection: If at		Global Positioning System (GPS) information: Latitude: (in decimal degrees)				
						Longitude: (in decimal degrees)		
•								
						4, 🗌 NAD 83, 🗌		
2 WATER WELL OWNER: Integrity CPAC Investments					Collection Method:			
			Garnett St.		GPS unit (Mal	ke/Model:)	
Cit	y, State,	ZIP Code : Wichita	. KS 67226			ioto.	Map, \square Land Survey	
3 10	CATE W	FIT			Est. Accuracy:	<3 m, 🗌 3-5 m, 🔲	5-15 m, [] >15 m	
	TH AN "	X" IN 4 DEPTH OF	COMPLETED WE	I , 110	ft			
	SECTION BOX: N N Depth(s) Groundwater Encountered (1).70, ft. (2)							
		Pump	test data: Well wat	er was	ft. after	hours pump	ing gpm	
N	W EST. YIELD. 20gpm. Well water wasft. after							
w			eter 1.0in. to					
	+	WELL WATER	TO BE USED AS:	Public wate	er supply 🛛 🗍 Ge	othermal 🗌 In	njection well	
S	w	SE Domestic	🗌 Feedlot 🔲	Oil field wate	r supply 🔲 De	watering 0	ther (Specify below)	
	Irrigation Industrial Z Domestic-lawn & garden Monitoring well							
	S Was a chemical/bacteriological sample submitted to Department? Yes Yes S If yes, mo/day/yr sample was submitted							
	1 mile	Water well disin	day/yr sample was st	ibmitted	•••••			
water well disinfected? Ves INO								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5. in. to .110 ft., Diameter in. to ft., Diameter in. to ft., SDP26								
Casing height above land surface12 in., Weight 2.5lbs./ft., Wall thickness or gauge NoSDR26								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
$\mathbf{\pi}_{\mathbf{r}} = \mathbf{\pi}_{\mathbf{r}} + $								
6 GROUT MATERIAL: Neat cement Cement grout Definition Other								
Grout Intervals: From .3								
What is the nearest source of possible contamination:								
	Septic ta	nk 🗌 Lateral lin	es 🔲 Pit privy	Livestock p	ens 🔲 Insecticide	storage Other	r (specify below)	
	Sewer lin		Sewage lagoon	Fuel storage	Abandoned	water well		
Dire	ction from	m well South	t 🗌 Feedyard	Fertilizer sto			••••••	
FROM		LITHOLOG			rom well			
0'	3'	Topsoil		FROM	TO LITHO. LO	JG (cont.) or PLUG	GING INTERVALS	
3'	50'	Clav		<u> </u>				
50'	110'	Limestone		+		· · · · · · · · · · · · · · · · · · ·		
				++				
				+				
		n,		1				
·								
				1				
		······································		1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖉 constructed, 🗌 reconstructed, or 🗋 plugged								
under my jurisdiction and was completed on (mo/day/year) 0//19/2013 and this record is true to the best of my knowledge and belief								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 07/19/2013. under the business name of Premier Pump & Well Service Inc								
under m	e ousines	s name of remier Pum	D & Well Service in	С.	by (signature)	ANZNI D. K	X XX 20 .	
- morney		Use typewriter or ball point pen.	PLEASE PRESS FIRMIN	and PRINT clea	rly Please fill in blanks a	and check the correct an	citizers Sand one comit to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
		-	http://www.kdheks.gov					

2

. .

1