| WATER WELL RECORD   | Form WWC-5                                 | KSA 82a-1212                                       |  |
|---|--|--|--|
| 1 LOCATION OF WATER WELL: FRACTION  | SECTION NUM                                |  | RANGE NUMBER   |
| Sedgwick NW 1/4 NW 1/4 S Distance and direction from nearest town or city street address of well if located within city?  | SE 1/4 2                                   | T 27 S   | R 2E E/W   |
| 2214 N. Loch Lomond Ct. Wichita, Kansas   |  |  |  |
| 2 WATER WELL OWNER: SHARP CONSTRUCTION  | <b></b>                                    | na madaly santana iyika yalari si'na sadapanyayi y | nya ani anya ana ani ana ang sainya ang taong  |
| RR#,ST. ADDRESS,BOX #: 430 Walnut   |  | Board of A   | griculture, Division of Water Resource   |
| CITY, STATE: Wichita, Kansas  | ZIP CODE:                                  | Application N                                      | umber:   |
| 3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL;   | <b>100</b> ft.                             | ELEVATION:   |  |
| N Depth of groundwater Encountered:   | ft,  | ft.  | ft.  |
| WELL'S STATIC WATER LEVEL 42  |  | SURFACE MEASURED ON mo                             |  |
|   | ll water was                               |  | rs of pumping @ gpm  |
| E Est. Yield: gpm We  | ll water was<br>to <b>100</b>              | ft. after hou<br>ft. and in.                       | rs of pumping @ gpm.<br>to ft.   |
| WELL WATER TO BE USED AS:   |  | 9, Dewate  | ala a ala ala ala ala ala ala ala ala a  |
| 1. Domestic 3. Feedlot 5. Publi   | c water supply <7. Law                     | n and garden only                                  | 12. Other (Specify below)  |
| and the second se |  | conditioning 10. Monito                            | ring well<br>, what_mo/day/yr_was sample   |
| S Was a chemical/bacteriological sample submitted   |  | s Water Well Disinfected?                          | YES NO   |
| 5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberg  | lass 9. Other (Spe                         | cify below) CASING JOINTS                          | Glued Threaded   |
| 1. Steel 3. RPM (SR)  | SUDD 26                                    |  | Welded Clamped   |
| 2. PVC 4. ABS 6. Asbestos-Cement 8. Concr   |  | ×  |  |
| Blank casing diameter 5 in. to 50 ft., Dia  |  | ft., Dia.  | in. to ft.   |
| Casing height above land surface: 12 in., Weight:   | 2.35 lbs. / ft.                            | Wall thickness or ga                               | uge No214  |
| TYPE OF SCREEN OR PERFORATION MATERIAL:<br>1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC   | ) 9. ABS                                   | 11. Other (specify)                                |  |
| 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (S   | SR) 10. Asbestos-(                         | Cement 12. None used (ope                          | n hole)  |
| SCREEN OR PERFORATION OPENINGS ARE:   |  |  |  |
| 1. Continuous slot 3. Mill slot 5. Gauzed wrapped   | 7. Torch cut                               | 9. Drilled holes                                   | 11. None ( open hole)  |
| 2. Louvered shutter 4. Key punched 6. Wire wrapped  | 8. Saw cut                                 | 10. Other (specify)                                |  |
| SCREEN - PERFORATION INTERVAL From 50 ft.   | to 100 ft.,                                | From ft  | i. a   |
| From ft.  | to ft.,                                    | From ft.<br>From ft.                               | to ft.<br>to ft.   |
| GRAVEL PACK INTERVALS: From 24 ft.  | to <b>100</b> ft.,                         | From ft.   | to ft,   |
| From ft.  | to ft.                                     | From ft.   |  |
| 6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout   | 3, Bentor                                  |  | to ft.<br>ntonite hole plug  |
|   |  | o ft., From  | ft. to ft.   |
| What is the nearest source of possible contamination:   | 10. Livestock pens                         |  |  |
| 1. Septic tank 4. Lateral lines 7. Pit privy  |  | 13. Insecticide storage                            | de Olives (esservice) i de es  |
| 2. Sewer lines 5. Cess Pool 8. Sewage lagoon  | 11. Fuel storage<br>12. Fertilizer storage | 14. Abandon water we                               |  |
| Watertight sewer line 6. Seepage pit 9. Feed yard   | 12. Fertilizer storage                     | How many feet? 1                                   | ft plus  |
| From To LITHOLOGIC LOG  | From To                                    |  | OGIC LOG   |
| 0 3 topsoil   |  |  |  |
| <u>3 15 clây</u>  |  |  |  |
| 40 brown shale  |  | <u></u>  | i,   |
| 40 95 gray shale<br>95 100 limestone  |  |  |  |
|   |  |  | ······································   |
|   | · · · · · · · · · · · · · · · · · · ·      |  | and a second   |
|   | · · · · · · · · · · · · · · · · · · ·      |  | and the second |
|   |  |  |  |
|   |  | · · · · · · · · · · · ·                            |  |
|   |  | *******  | i i i i i i i i i i i i i i i i i i i  |
|   |  |  | an a   |
|   |  |  |  |
| 7 Contractor's or Landowner's Certification: This water well was 1. constru   | ucted 2, reconstruc                        | cted or 3 plugged                                  | under my jurisdiction and  |
| was completed on (mo/day/year) 9/26/2013 and this re  | cord is true to the best of                | my knowledge and belief.                           |  |
| Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 9/30/2013  |  |  |  |
| under the business name of Harp Well and Pump Service   | by (signature)                             |  |  |
| L 123A MOS (236) Symmetry and rumb per tree   | -1 (2.8.000)                               | 1000   | S. Harp  |