			WATE	R WE	ELLR	ECO	RD I	Form	ww	C-5 K	SA 82a-1	1212				
1 LOCATION C	F WATER	WELL:	FRACTIO	N					SECTI	ON NUMBER	TOWN	SHIP NUI	MBER	RA	NGE NUN	MBER
Sedgwio			NE	1/4	SE	1/4	SE	1/4		1	T	27	S	R	<u> 2E</u>	E/W
		nearest town or cit	•				ity?									
15902 E					a, Kar								· · · · · · · · · · · · · · · · · · ·	···		
2 WATER RR#,ST. AD	WELL O		ES CONS 33 E. 21s			4							Board of A	griculture, Divis	ion of Wa	ter Resource
KK#,51, AD	CITY, S		chita, Kai						710	CODE:		Ani	plication N	lumber:		
3 LOCATE W					ETED \	MELL	1	25	ft,	CODE.	ELEVATIO		pilodilorri	dilibor.	-	
WITH AN "	X" IN SECT	TION BOX:	epth of grou		, ,				ft.				ft.			ft.
	N N		VELL'S STA				45	EŤ E		W LAND SH	IRFACE ME	ΔŠLIRFI		n/dav/v ř	1/22/	
No.	L.	-NE	VLLL 5 5 1A		np test d			ater was		V EMND.SC	ft. after			urs of pumpin		gpim
ΦΝν	· }	1	Est. Yield		gpm			ater was			ft. after			urs of pumpin		gpm
w Wile		Ė	Bore Hole D	iameter	1	. 2 i	in.		to 78	8 ft.	and		in.		to	ft,
_			VELL WATE				<u>.</u>					9	. Dewate	ering 1	1. Inject	ion well
sv	W -	SE	1. Domestic		Feedlot		Public w				nd garden		Monito	12, Ot ring well	her (Spe	cify below)
			IrrigationWas a chemic		Industri		Oil field			8. Air con YES	NO			s, w <u>hat</u> mo/d	ay/yr wa	is sample
	S		submitted	cai/bacter	lological s	arithic a		Departit	ient:		Vater Well D			YES	N	
5 TYPE	OF CASI	NG USED:	5 V	Vrought	Iron	7	Fiberglass	s	9. Oth	ner (Specify	below)	CASING	JOINTS	Glued	•	Threaded
1. S	teel	3. RPM (SR)	_			Ÿ		SDR	• • •	ŕ			Welded		Clamped
2. P		4. ABS			-Cemen		Concrete	tile	D.D.	. 20						
Blank casing	diamete	f 5	in.	to	50 f	t.,	Dia.		in.	to	ft.,	Dia.		in.	to	ft.
1		land surface:	12	in.,		V	Veight:	2.35	lb	s. / ft.	Wa	all thickn	ess or ga	auge No.	.214	
		R PERFORATION				7 5	PVC		0 1	oe'	11	Other	(specify)			
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)																
2. Brass		Galvanized		ilorete i	ii C	0, 1	i (Oi ()		10. As	DE3103-061	110111	, , , , , , , , , , , , , , , , , ,	acoa (op	011 110107		
1. Continue		RATION OPENII 3. M ill		5.0	Sauzed v	wranne	ed		7 Tor	ch cut	g ·	Drilled I	holes	11. N	one (or	en hole)
	8. Saw cut 10. Other (specify)					,										
2. Louvere	a snuttei	4. Key	punched	6. V	Nire wra	ppea		_		v cut	10,	Other (s	specify)			
SCREEN - PE	ERFORA	TION INTERVAL	- From	1	50	ft.	t	o 1	25	ft.,	From		ft.		to	ft.
			Fron	n		ft.	t	0		ft.,	From		ft.		to	ft.
GRA	VEL PAC	CK INTERVALS:	Fron	n,	24	ft.		to 1	25	ft.,	From		ft.		to	ft.
			Fron	n		ft.		to		ft.,	From		ft.		to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout								3	Bentonite		Oth	ner be	ntonite ho	le plu	g	
Grout Intervals: From 4 ft. to 24 ft., From									ft.	to	ft.	,	From	ft.	to	ft.
1. Septic ta		urce of possible	contamination	7 Dit miles				10. Liv	estoci	c pens	13. Insecticide storage 15. Oil well/Gas well				as well	
2. Sewer li		5. Cess		0 Causan lamana 1				11. Fu	el stor	age	14. Abandon water well 16. Other (specify below				cify below)	
		_	page pit	9	. Feed y	ard		12. Fe i	rtilizer	storage						
Direction from	ght sewe	North	page pit		,						Ho	How many feet? 10 ft. plus				
From	То	LITHOLOGIC LOG							om	То		L	ITHOL	OGIC LO)G	
0	3	topsoil														
3	_16	clay	· · · · · · · · · · · · · · · · · · ·					_								
16		brown shale	е												 	····
71	125	gray shale	<u> </u>		<u> </u>								-		,	
				·												
														,		
	1,5,1077							\leftarrow		<u></u>	<u> </u>			مامص	lugiadi-ri	من مدا
		andowner's Cer			well was	_				constructe			gged	under my	jurisaicti	on and
was comp	leted on	(mo/day/year)	1/2	22/14						•	knowledge					
Kansas W	ater Well	Contractor's Lic	ense No. 2	36		Т	his water	well rec	ord wa	s complete	d on (mo/day	y/year)	1	1/22/14		
under the	business	name of Har	n Well at	ıd Pui	mp Sei	rvice			by (sig	gnature)		TA	dd,	5 40	מאנו	