			WATER	WELL RE	ECORD.	Form WW	/C-5 K	SA 82a-12	12		
1 LOCATIO	N OF WATE	R WELL;	FRACTION	VV L. L. 1 \L	LOOND		ION NUMBE		IP NUMBER	RANGE	NUMBER
Sedgy			SW 1	/4 SW	1/4 SE	1/4	2	Т 2	27 s	R 2	E E/W
Distance and	direction fror	n nearest town or o	city street address of	well if located v	vithin city?	· · · · · · · · · · · · · · · · · · ·	<u> </u>	سيست کان اون اون اون اون اون اون اون اون اون ا		 	
2228]	N. Loch	Lomond Ct		Wichita,							
	R WELL C		ES CONSTR						Board of Agr	iculture, Division of	Water Resource
RR#,ST.	ADDRESS		333 E. 21st N								Water Nesopice
		-	chita, Kansa	 		100	P CODE:		Application Nur	mber:	
3 LOCATE	E WELL'S LC N "X" IN SEC	TION BOX:	DEPTH OF CC		·			ELEVATION	_		
	N.		Depth of groundw			ft.			ft.		ft.
		; I	WELL'S STATIC				W LAND SI		URED ON mo/		7/14
	MM	- NE	Est. Yield:	Pump test da gpm		vater was water was		ft. after ft. after		s of pumping @ s of pumping @	gpm gpm
Wile W	-	E	Bore Hole Diam			to 1	00 ft		in.	to	ft,
←			WELL WATER T	O BE USED /					9. Dewater	ing 11. Inj	ection well
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only											Specify below)
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample											was sample
	S		submitted	acteriological sa	imple sobmitted t	to Department?	YES Was \	NO Nater Well Disi		YES	NO
5 TYF	PE OF CAS	ING USED:	5 Wrou	ight Iron	7. Fibergla	es 9. Of	her (Specif	v below) CA	SING JOINTS:	Glued	Threaded
	. Steel	3. RPM	(SR)		-	SDI	R-26	,,		Welded	Clamped
	. PVC	4. ABS	6. Asbe	stos-Cement	8. Concrete	e tile	C-20				
Blank cas	ing diamete	er 5.	in. to	40 ft.	., Dia.	in.	to	ft.,	Dia.	in. to	ft.
		land surface:	12 in.	,	Weight:	2.35 It	s. / ft.	Wall	thickness or gau	ige No21	4
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
				10 1110	9. 1 (01	, 10.71	3000000	mont 12.1	totto aboa (opo,		
1	OK PERFC	RATION OPEN 3. Mil l		5. Gauzed w	ranned	7 To	rch cut	9 Dr	illed holes	11. None	open hole)
1					***		w cut				· • • • • • • • • • • • • • • • • • • •
	red shutte		y punched	6. Wire wrap				10. Ot	her (specify)		
SCREEN -	PERFORA	TION INTERVA	L From	40	ft.	to 100	ft.,	From	ft.	to	ft.
		_0	From	24	ft.	to	ft.,	From	ft.	. to	ft.
G	RAVEL PA	CK INTERVALS	From	24	ft.	to 100	ft.,	From	ft.	to	ft.
<u></u>			From		ft.	to	ft.,	From	ft.	to	ft,
드	JT MATERI	ALS: 1. Ne	at cement		ment Grout	3	. Bentonit	e	Other ben	tonite hole p	lug
Grout Intervals: From 4 ft. to 24 ft., From						n ft.	ft. to		From	ft. t	o ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy					10. Livestoc). Livestock pens		13. Insecticide storage 15. Oil well/Gas well			
								16. Other (specify below)		
	tight sewe		page pit	9. Feed ya	rd	12. Fertilize	storage				
Direction t		West						How	many feet? 10	ft. plus	
From	То		LITHOLO	GIC LOG		From	То		LITHOL	OGIC LOG	
	3	topsoil		<u> </u>				ļ	<u> </u>		
3	18	clay		· · · · · · · · · · · · · · · · · · ·	·		-			<u> </u>	
18 61	61 100	brown sha grey shale	ie						**************************************		
		S. J. Marc	·								
											· · · · · · · · · · · · · · · · · · ·
		 					ļ		- Water Million Spirit		
,					<u> </u>						
<u> </u>								 			
				<u>,</u>		<u> </u>	 	 			
7 Cont	ractoric or	Landowner's Co	rtification: This w	ater well was	1. construc	ted 2 re	constructe	ed or 3.	plugged	under my jurisd	iction and
			1/17/20							and my juneu	.5.011 0110
		(mo/day/year)					·	/ knowledge and d on (mo/dav/v		0/2014	
I Kaneae	Water Mal	. Controptorio Li	cense No. 236		I DIO WOTO	WOU POORED WE	complete	a on imoldavlv	carara I/7	/ 1 /1	

by (signature)

under the business name of Harp Well and Pump Service

Todd S. Harp