	,	WATER W	ELL REC	ORD F	orm WV	VC-5 K	SA 82a-12	212		
1 LOCATION OF WATER	WELL:	FRACTION			SEC	TION NUMBER	1	IIP NUMBER	RANG	E NUMBER
Sedgwick		SW 1/4		/4 SE	1/4	2	Т	27 s	R	2E E/W
Distance and direction from I	•			in city?						
2316 N. Loch I	NITE C	Wichita, CONSTRU								
2 WATER WELL OV								Board of Agri	iculture, Division	of Water Resource
RR#,ST. ADDRESS,B		E. 21st N. # a, Kansas	303		-			_		
		.	N ETER MEI	L: 10		IP CODE:	ELEVATION:	Application Nun	nper:	
UCATE WELL'S LOCATE WELL'S LOCATE WITH AN "X" IN SECTION	ION BOX:	PTH OF COMP					ELEVATION			
N N		of groundwate			ft			ft.	_	ft.
	MELL	L'S STATIC WA				W LAND SU		SURED ON mo/o	• •	/26/14
	-NE		mp test data:				ft. after		of pumping @	5.
W Wile	; I	Est. Yield:	gpm r 12	Well wa			ft. after		of pumping @	-
		e Hole Diameter L WATER TO B		in.	to I	LUU ft.	and	in.	to	
sw			Feedlot		iter supply	₹ Lawn a	nd garden on	9. Dewateri		njection well
	· ! I		Industrial	6. Oil field v				10. Monitorii		(Specify below
		a chemical/bacte				YES	(NO)	; If yes, v	what mo/day/	yr was sample
	subm	nitted				Was V	Vater Well Disi	nfected?	YES	NO
5 TYPE OF CASIN		5. Wrought	tron	7. Fiberglass	9. O	ther (Specify	below) CA	ASING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR)	6. Asbestos	r Coment	8. Concrete t	ilo SD	R-26			Welded	Clamped
2. PVC	4. ABS				, ilo		_			
Blank casing diameter	5 in.	· -	40 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above to	and surface:	12 in.,		Weight:	2.35	bs. / ft.	Wall	thickness or gaug	ge No2	14
TYPE OF SCREEN OR										
	Stainless Steel	5. Fiberglass	_	7. PVC	9. A			Other (specify)		
2. Brass 4. 0	Galvanized	6. Concrete T	Γile ₹	B. RMP (SR)	10. A	sbestos-Cen	nent 12. N	done used (open	hole)	
SCREEN OR PERFOR	ATION OPENINGS	ARE:								
1. Continuous slot	3. Mill slot	5. (Gauzed wrap	oped	7. To	rch cut	9. Dr	illed holes	11. None	e (open hole)
2. Louvered shutter	4. Кеу рилс	ched 6. 1	Wire wrappe	d	8. Sa	w cut	10. Ot	her (specify)		
SCREEN - PERFORATI	ION INTERVAL	From	40 ft	. to	100	ft.	From	ft.	to	ft,
		From	ft	. to	1	ft.,	From	ft.	to	ft.
GRAVEL PACH	KINTERVALS:	From	24 ft.			ft.,	From	ft.		
		From	ft.	-	- • •				to	ft.
G GROUT MATERIAL	I.C.					ft.,	From	ft.	to	ft.
<u>o</u>	I, Neal Cel		2. Cemer			3. Bentonite			onite hole	plug
1			24 ft.,	From	ft.	to	ft.,	From	ft.	to ft.
1. Septic tank	•	7	. Pit privy		10. Livestoc	k pens	13. Insec	ticide storage	15. Oil w e	II/Gas well
_ · · · · · · · · · · · · · · · · · · ·							don water well	16. Other (specify below)		
	line 6 Seepage	pit 9	. Feed yard		12. Fertilize	r storage				
Direction from well?	East	F	·			_	Howr	nany feet? 10 f	ft. plus	
From To	Lt	THOLOGIC	CLOG		From	То				
0 3 t	opsoil							-		
						ļ.				
					-					
63 100 g	rey shale				ļ	+				
					+	 				
					+					

 	· · · · · · · · · · · · · · · · · · ·				1					
 					1					
· · · · ·					 	 				
						+				
7 0		: T : :			-			Al., A		altasta a
									unaer my juris	uiction and
was completed on (m	no/day/year)	2/26/2014	ar	nd this record	is true to the	e best of my l	knowledge and	belief.		
Kansas Water Well C	contractor's License	No. 236		This water w	ell record wa	s completed	on (mo/day/ye	ear) 2/27	/2014	
under the business na	ame of Harn W	ell and Pon	np Service	e	by (si	gnature)	τ	2.55	¥~	
1	tintervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft. he nearest source of possible contamination: lic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well ler lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below) lertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage lertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage level? LiTHOLOGIC LOG From To LITHOLOGIC LOG 15. Clay									