WATER WELL RECORD Form WWO					Division of Water	er Resources App. No	o. L	
1 LOCATION OF WATER WELL:			Fraction			,	Range Number	
County: Sedawick				1/4 SE 1/4		T 27 S	R 2 ZE W	
		Address of Well Location;		Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
Wichita, KS 67228					Elevation: (In decimal degrees)			
					Datum: WGS 8	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: Moeder Construction					Collection Method:			
RR#, Street Address, Box #: 4700 W. Irving City, State, ZIP Code : Wighta KS 67209					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Wichita, KS 67209					Est. Accuracy:	Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m		
3 LOCATE WELL								
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 120 ft.							
SEC	SECTION BOX: N Depth(s) Groundwater Encountered (1).60 ft. (2)							
I	<u> </u>	WELL'S STAT	test data: Well wate	ft after	ft. after hours pumping gpm			
LEGT VIEW D. F. W. II.							pinggpm	
w N	120 0 1							
	WELL WATER TO BE USED AS:							
s\	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No If yes, mo/day/yr sample was submitted							
1	1 mile		fected? Ves		••••••			
5 TYPE OF CASING USED: Steel PVC Other								
Casing diameter .5 in. to .120 ft., Diameter ft., Diameter ft.								
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From 20 ft. to 120 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Pentonite Other								
Grout Intervals: From .3								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ✓ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
		m well .West		. Distance				
FROM	+	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
0	3	Topsoil						
3	40	Clav		ļ				
40	120	Limestone						
<u> </u>				 				
	 			 				
	 							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .05/01/2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) .05/02/2014								
Kansas	Water W	ell Contractor's License N ss name of Premier Pur	0๘งฺจ This \ nn & Well Service ไร	Water Well R	ecord was complete	on (mo/day/year)	Ja0 x	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answels. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								