WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction				Range Number	
County: Sedawick			¼ ¼ NW	1/4 SW 1/4		T 27 S		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Location of the desired								
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
Wichita, KS 76207						Elevation:		
				Datum: WGS 8	4, 🔲 NAD 83, 🗀	NAD 27		
2 WATER WELL OWNER: Casa Builders RR#, Street Address, Box #: Box 781572					Collection Method:			
		TD C 1			GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey			
City	, State, 2	ZIP Code : Wichita.	KS 67278		Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).40 ft. (2)							
	N WELL'S STATIC WATER LEVEL. 40 ft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after							pinggpm	
1 - NW ND 1 D							ւթուց gpm	
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
×	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
□ Irrigation □ Industrial ☑ Domestic-lawn & garden □ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 5 in. to								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
1	GRAV	EL PACK INTERVALS:	From 20	t. to80	ft., From	ft.	to ft.	
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 3								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well .West Distance from well .15'								
FROM 0	TO 3	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	IGGING INTERVALS	
3	30	Topsoil Clav						
30	80	Limestone						
-		Linicotoric						
								
T CONTRACTORIS OR LANDOWNERS CONTRICTOR TO								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .04/17/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 94/21/2014								
under the business name of Premier Pump & Well Service, Inc. by (signature)								
INSTRU	CTIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and <u>PRINT</u> cl	arly. Pleaso fill in blanks	and check the correct	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Mackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html								