WATER WE	LL RECORD	Form WWC-5			er Resources App. N		
1 LOCATION County: See		Fraction SW NE SW SA		Section Number 34	Township No. T 27 S		
	Address of Well Location;	Global Positioning	System (GPS) ir				
from nearest town or intersection: If at owner's address, check here . Latitude:							
2224 S. Michelle				Longitude: (in decimal degrees)			
Wichita, KS 67207				Elevation:			
				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Cherrywood Construction				Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: Box 781974				GPS unit (Mal	ke/Model:)	
City, State, ZIP Code : Wichita, KS 67278			1.	Digital Map/Photo, Topographic Map, Land Survey			
Est. Accuracy:							
3 LOCATE WI	ELL DEPTH OF	COMPLETED WELL 100		Δ.			
WITH AN "X	"IN 4 DEPTH OF						
SECTION BO	Deptn(s) Ground	water Encountered (1).7.9.					
	WELL'S STATIC WATER LEVEL						
Pump test data: Well water wasft. after hours pumping							
EST. YIELD. 18gpm. Well water was							
W E Bore Hole Diameter 10 in. to .100 ft., and in. to							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Industrial ☑ Domestic-lawn & garden ☑ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ☑ Yes ☐ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .5 in. to .100 ft., Diameter ft., Diameter ft., Diameter ft.							
Casing height above land surface12							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From40							
From							
GRAVEL PACK INTERVALS: From 20 ft. to ft., From ft. to ft.							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From S. II. to SS. II., From II. to II., From II. to II.,							
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
✓ Sewer lines							
Direction from	u South	7.1					
FROM TO	LITHOLOG					GGING INTERVALS	
0 3	Topsoil	ic Ecc TROI	1	O LITTIO. EC	od (com.) of 1 Ec	GOING INTERVALS	
3 30	Clay						
30 100	Limestone		-				
100	Linestone						
				· · · ·			
			_				
			L_				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .06/04/2014 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 06/05/2014 under the business name of Premier Pump & Well Service, Inc. by (signature)							
under the busine	ss name of Premier Pun	np.& Well Service, Inc.	t	y (signature)Q	NAME OF	Hiller June	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							