WATER WELL RECORD			Form W	WC-5	Division of V	Water Resources App. 1	No
1 LOCATION OF WATER WELL:			Fraction		Section Numb	er Township No.	Range Number
			1/4 SW 1/4 SW	1/4 SW 1/4	21	T 27 S	
		of Well Location: i	f unknown, distance &	direction	Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .					Latitude: .47.14808		
MW-88 (MW-G)					Elevation: unknown Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Textron Aviation					Collection Method:		
RR#, Street Address, Box #: 10511 E. Central					GPS unit (Make/Model: Garmin Geko 101		
City, State, ZIP Code : Wichita.			KS 67206	Digital Map/Photo, ☐ Topographic Map, ☐ Land Surv Est. Accuracy: ☐ <3 m,			nic Map, 🔲 Land Survey
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 45							
SECTION BOX: Depth(s) Groundwater Encountered (1).3.1							(3) ft.
	N						day/yr3/20/14
Pump test data: Well water wasft. after hours pumping							
			0gpm. Well water wasft. after hours pumping gpm				
			eter 8in. to .45ft., andin. toft.				
			TO BE USED AS: Public water supply Geothermal Injection well				
							Other (Specify below)
1 1	- SE						······
<u> X </u>							• • • • • • • • • • • • • • • • • • • •
			bacteriological sample				
	S		day/yr sample was sub		••••••		
mile Water well disinfected? ☐ Yes ✓ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing	diameter 2	in to 45	f Diameter	in	·	Diameter	in to A
Casing diameter 2 in. to .45 ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface. 30							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Swrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From30							
From							
GRAVEL PACK INTERVALS: From 28 ft. to .45 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From .0 ft. to .28 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Solvent Release							
Direction	on from well .	Site		. Distance	from well Site.	<u></u>	
	ТО	LITHOLOG	IC LOG	FROM	TO LITHO	D. LOG (cont.) or PL	UGGING INTERVALS
0 7.		n silty clay				<u> </u>	
7.5 2		Brn silty clay		 			
			and	 			
		silty clay w/ vf-f s	anu	 			
23.5		Brn marled clay		 			
34 30		y weathered sha		 			
	8 Lt-Dk	Gry massive gyp	sum/anhydrite				
38 4	5 Weath	ered shale w/ gy	osum				
						THE STREET	
	<u> </u>			 			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .3/.13/.14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No616 This Water Well Record was completed on mo/day/year) 8/29/2014							
under the business name of Thiele Geotech, Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St. Stutte 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							