	Form WWC			resources ripp. 14	o.	
1 LOCATION OF WATER WELL: County: Sedgwick	Fraction 1/4 SW 1/4 SW 1/4	sw ¼	Section Number 21		Range Number	
Street/Rural Address of Well Location; if unknown, distance & direction		Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .			Latitude: .47.14445 (in decimal degrees) Longitude: -81.73642 (in decimal degrees)			
MW-89 (MW-H)		Elevation: unknown Datum: WGS 84, M NAD 83, NAD 27				
2 WATER WELL OWNER: Textron Aviation		Collection Method:				
RR#, Street Address, Box #: 10511 E. Central		GPS unit (Make/Model: Garmin Geko 101				
City, State, ZIP Code : Wichita, KS 67206		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 45						
N WELL'S STAT	WELL'S STATIC WATER LEVEL. 36.1ft. below land surface measured on mo/day/yr. 3/20/14					
Pumr	Pump test data: Well water wasft. after					
LECT VIELD	EST VIELD <50 and Well water was					
w NW NE EST. TIELD.S	Bore Hole Diameter 8					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
-SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☐ Yes ☑ No						
5 TYPE OF CASING USED: Steel PVC Other Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .2 in. to .45 ft., Diameter in. to						
Casing neight above land surface						
Steel Stainless Steel ✓ PVC Steel Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From30						
From						
GRAVEL PACK INTERVALS: From						
From						
Grout Intervals: From 0 ft. to .28 ft., From						
What is the nearest source of possible contamination:						
Septic tank						
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Solvent Release						
			om wellSite			
FROM TO LITHOLOG	ic log F	ROM	TO LITHO. LC	or PLU	IGGING INTERVALS	
0 6.5 Drk Brn silty clay						
6.5 19 Grnh Brn silty clay						
19 24 Lt Brn-Gry silty clay w/						
24 29 Silty clay w/weathered						
29 37 Lt Gry weathered shale				•		
37 38 Lt-Dk Gry massive gyp						
38 45 Lt gry weathered shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .3/14/14 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No6.16 This Water Well Record was completed on mo/day/year) 8/28/2014						
under the business name of Thiele Geotech, Inc. by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						