WATER WELL F Original Record		m WWC-5 nange in Well Use		sion of Water arces App. No.		Well ID	
1 LOCATION OF W		Fraction	Sect	ion Number	Township Number		
County: Sed	DUNCK.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	W 1/4   (	W 35	T 27 S	R DME W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located, (if unknown distance and							
Business: At 1640 Quilders direction from nearest town or intersection): If at owner's address, check here:							
Address: 1725 F Wassall 2001 S Tropostone St							
Autross.							
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL: 1). 6.   5 Latitude:					(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater Encountered: 1) ft.			Longitude:(decimal degrees)			
N SECTION BOX.		2) ft. 3) ft., or 4) □ Dry Well			Datum: WGS 84 NAD 83 NAD 27		
	WELL'S STATIC	WATER LEVEL: 🧀 🧀	`ft.	Source for Latitude/Longitude:			
	below land sur	below land surface, measured on (mo-day-yr).					
NWNE	above land surface, measured on (mo-day-yr)			(WAAS enabled? ☐ Yes ☐ No)			
	Pump test data: Well water was			☐ Land Survey ☐ Topographic Map			
W X E		after hours pumping gpm  Well water was ft.			Online Mapper:		
SW SE	į.	ours pumping					
	Estimated Yield: .25 kgpm			6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter: in. to ft. and			Source: Land Survey GPS Topographic Map			
mile		in. to ft.					
7 WELL WATER TO BE USED AS:							
1. Domestic:	5. Public Water Supply: well ID				10. ☐ Oil Field Water Supply: lease		
☐ Household			11. Test Hole: well ID				
Lawn & Garden	7. Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
Livestock	8. Monitoring: well ID			12. Geothermal: how many bores?			
2.  Irrigation					ed Loop  Horizont	al   Vertical	
3. ☐ Feedlot 4. ☐ Industrial	_ 10 _ 1				b) Open Loop  Surface Discharge  Inj. of Water		
4							
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:							
Water well disinfected?							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From							
Grout Intervals: From							
Nearest source of possible contamination:							
Septic Tank	Lateral			Livestock Pens		ide Storage	
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
Watertight Sewer Lines							
Other (Specify)  Direction from well?  Distance from well?							
10 FROM TO		LOGIC LOG	FROM			PLUGGING INTERVALS	
0	-100 SOI		11000			COMICHIDINALIDO	
1 35	CIOTA					- CASALITE WAS PRINCIPLE OF THE STATE OF THE	
35 58	Timesto	NO.	<del>                                     </del>				
58 101	Soft stale						
101 110	Shale	LAR					
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 8. 10.14 and this record is true to the best of my knowledge and belief.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)							
under the business nam	e ofLAIMA.M.	· or framework of the	harten Levi	IIM.	17. CMT. KAC.		
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012							