WATER WELL RECORD			Form W	WC-5	Division of Wate	r Resources App. No	o. L	
1 LOCATION OF WATER WELL: County: Sedgwick		Fraction 454	1 % NE%	Section Number		Range Number R 2 ☑E □W		
Street/Rural Address of Well Location; if unknown, distance & o								
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
	Res "E" commons					Longitude: (in decimal degrees)		
Whispering Lakes					Elevation:			
2 WATER WELL OWNER.					Datum: WGS 84	4, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OWNER: Whispering Lakes, LLC RR#, Street Address, Box #: 15618 F. Rosewood					Collection Method:			
C'A CASA ZID CALL					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Wichita, KS 67230					Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOCATE WELL								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).15 ft. (2)							
	WELL 5 STATIC WATER LEVEL							
	Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm							
w N'	1 00 00							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter .5. in. to .80. ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 24								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
			From 1	ft. to	ft., From	ft. t	o ft.	
GRAVEL PACK INTERVALS: From								
From								
Grout Ir		From 3 ft to	20 & From	benton	to G	From	ft to ft	
Grout Intervals: From .3								
Septic tank								
Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well East Distance from well .22'								
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
3	3 20	Topsoil		<u> </u>				
20	80	Clay Limestone		 				
20	100	LittleStoffe		 				
				 			·	
				 		400		
<u> </u>	 							
				f				
	\vdash							
	 							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .1.1/6/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was apmolered on (mo/day/year) 11/7/2014								
under the business name of Premier Pump & Well Service, Inc by (signature) by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to								
INSTRUC	CTIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and <u>PRINT</u> cle	arly. Please fill in blanks	and check the correct a	inswers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html								