KSA 82a-1212 WATER WELL RECORD Form WWC-5 RANGE NUMBER LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER NWNE 28 27 **2E** Sedgwick 1/4 1/4 E/W Distance and direction from nearest town or city street address of well if located within city? 10625 E. Kellogg Drive Wichita, Kansas MCGAVOCK NISSAN WATER WELL OWNER: Board of Agriculture, Division of Water Resource 10625 E. Kellogg Drive RR#,ST. ADDRESS,BOX #: ZIP CODE: 67207 CITY, STATE: Wichita, Kansas Application Number 4 DEPTH OF COMPLETED WELL: 80 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft. ft. WELL'S STATIC WATER LEVEL 30 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Well water was Pump test data: ft. after hours of pumping @ gpm NW ·NE Well water was ft. after hours of pumping @ gpm gpm ً 12 80 Bore Hole Diameter in. ft. and WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only S₩ SE 1. Domestic 12. Other (Specify below) 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well ; If yes, what mo/day/yr was sample (NO Was a chemical/bacteriological sample submitted to Department? (YES) Was Water Well Disinfected? submitted 5 TYPE OF CASING USED: CASING JOINTS: Glued Threaded 9. Other (Specify below) 7. Fiberglass 5. Wrought Iron 3. RPM (SR) 1 Steel Welded Clamped SDR-26 6. Asbestos-Cement 8. Concrete tile 4. AB\$ 2. PVC 5 Blank casing diameter 30 in. to ft... Dia. tο Dia in to ft. 12 Weight: 2.35 Casing height above land surface: lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 9. ABS 11. Other (specify) 3. Stainless Steel 5. Fiberglass 1. Steel 8. RMP (SR) 12. None used (open hole) 2. Brass 6. Concrete Tile 10. Asbestos-Cement 4. Galvanized SCREEN OR PERFORATION OPENINGS ARE: 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9 Drilled holes 11. None (open hole) 1. Continuous slot 6. Wire wrapped 8. Saw cut 10. Other (specify) 2. Louvered shutter 4. Key punched SCREEN - PERFORATION INTERVAL 30 ft. 80 ft., From From to ft. From ft. to ft., From ft ft. to 24 ft. to **GRAVEL PACK INTERVALS:** 80 From ft.. From ft to ft. ft. From From to ft.. ft. **GROUT MATERIALS:** Other 6 bentonite hole plug 2. Cement Grout 3. Bentonite 1. Neat cement Grout Intervals: ft. 24 From ft., From ft. ft.. From ft. What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 5. Cess Pool 2. Sewer lines Watertight sewer line 6. Seepa Northwest 12. Fertilizer storage 9. Feed yard 6. Seepage pit How many feet? 15 ft. plus LITHOLOGIC LOG LITHOLOGIC LOG From From Τо Τo topsoil 9 clay Q 45 brown shale 45 grev shale limestone Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and 11/19/2014 and this record is true to the best of my knowledge and belief. was completed on (mo/day/year) This water well record was completed on (mo/day/year) 11/21/2014 Kansas Water Well Contractor's License No. 236

by (signature)

under the business name of Harp Well and Pump Service

Todd S. Harp