WATER WELL RE	CORD	Form W	WC-5	Division of Water	er Resources App. No	,	
1 LOCATION OF W	ATER WELL:	Fraction			Township No.		
County: Sedgwick		NE 1/4 SW			T 27 S	R 2 ☑E □W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information:  Latitude:			
Hom realest town or intersection. If at owner's address, check here				Longitude: (in decimal degrees)			
15409 E. Rosewood St. Wichita, KS 67230				Elevation:	Elevation:		
A MATER WELL OWNER.				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Relph Construction RR#, Street Address, Box #: 8550 NW Parallel				Collection Method:			
at a man a t				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Towanda, KS 67144				Est. Accuracy:			
3 LOCATE WELL							
WITH AN "X" IN							
SECTION BOX:	OX: Depth(s) Groundwater Encountered (1).25						
Pump test data: Well water was							
W F Bore Hole Diameter 10. in. to .70. ft. and							
WELL WATER TO BE USED AS:							
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
I I I I I I I I I I I I I I I I I I I							
Was a chemical/bacteriological sample submitted to Department?   Yes No							
S If yes, mo/day/yr sample was submitted							
Water well distributed? E. 163							
5 TYPE OF CASING USED: Steel PVC Other Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5							
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel     PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement Bentonite Other Grout Intervals: From .3							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well  Direction from well							
FROM TO	LITHOLOG	IC LOG	FROM			GGING INTERVALS	
	nda K9 67144	T/2501)	1 110111	TO DIMO: D	00 (00m.) <u>01</u> 1 00	GOMO MILDRIANDO	
3 25 Clay		- cpsari	<b> </b>				
25 70 Limes	tone						
		• · · · · · · · · · · · · · · · · · · ·			·····		
			<b> </b>				
			<del> </del>			······································	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .03(19/20.15 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) .03/20/2015							
under the business name of Premier Pump & Well Service, Inc. by (signature) V. S. C.							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Kansas Department Telephone 785-296-5524. S							