

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

1 LOCATION OF WATER WELL: County: Jedburgh Fraction: SW 1/4 SE 1/4 NE 1/4 Section Number: 26 Township Number: T 27 S Range Number: R 2 E

2 WELL OWNER: Last Name: Rain Plus First: Street or Rural Address where well is located (if unknown, distance: direction from nearest town or intersection): If at owner's address, check here: 13913 E. Watson Wichita, Ks.

Business: Address: City: State: ZIP:

3 LOCATE WELL WITH "X" IN SECTION BOX:

N

	NW	NE
W		
	SW	SE
		X
		E

S

1 mile

4 DEPTH OF COMPLETED WELL: 100' ft.

Depth(s) Groundwater Encountered: 1) ft. 2) ft. 3) ft., or 4) Dry Well

WELL'S STATIC WATER LEVEL: ft.

below land surface, measured on (mo-day-yr).....

above land surface, measured on (mo-day-yr).....

Pump test data: Well water was ft. after hours pumping gpm

Well water was ft. after hours pumping gpm

Estimated Yield: 20 gpm

Bore Hole Diameter: in. to ft. and in. to ft.

5 Latitude: (decimal)

Longitude: (decimal)

Datum: WGS 84 NAD 83 NAD 27

Source for Latitude/Longitude:

GPS (unit make/model: (WAAS enabled? Yes No)

Land Survey Topographic Map

Online Mapper:

6 Elevation: ft. Ground Level [

Source: Land Survey GPS Topograph Other

7 WELL WATER TO BE USED AS:

1. Domestic: Household Lawn & Garden Livestock

2. Irrigation

3. Feedlot

4. Industrial

5. Public Water Supply: well ID

6. Dewatering: how many wells?

7. Aquifer Recharge: well ID

8. Monitoring: well ID

9. Environmental Remediation: well ID

Air Sparge Soil Vapor Extraction Recovery Injection

10. Oil Field Water Supply: lease

11. Test Hole: well ID

Cased Uncased Geotechnical

12. Geothermal: how many bores?

a) Closed Loop Horizontal Vertical

b) Open Loop Surface Discharge Inj. of V

13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other

CASING JOINTS: Glued Clamped Welded Thr

Casing diameter 5 in. to ft., Diameter in. to ft., Diameter in. to ft.

Casing height above land surface 12 in. Weight lbs./ft. Wall thickness or gauge No. 160 RSP

TYPE OF SCREEN OR PERFORATION MATERIAL:

Steel Stainless Steel Fiberglass PVC Other (Specify)

Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)

Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 40 ft. to 100 ft., From ft. to ft., From ft. to

GRAVEL PACK INTERVALS: From 27 ft. to 100 ft., From ft. to ft., From ft. to

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From 3 ft. to ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination:

Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage

Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well

Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well

Other (Specify)

Direction from well? South Distance from well? 24 ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTER
0	1	TOP SOIL			
1	20	Clay			
20	27	Limestone			
27	100	Shale			

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or pl under my jurisdiction and was completed on (mo-day-year) 3-22-15 and this record is true to the best of my knowledge and b Kansas Water Well Contractor's License No. 881 This Water Well Record was completed on (mo-day-year) 3-27-15 under the business name of Weninger Drilling