WATER WELL R				Division of Water				
	al Record			Resources App. No.			Well ID	
1 LOCATION OF W	ATER WELI	12 1		1	tion Number	Township Numb		
	edgwi		ner sw	4 ¼ D	26	<u>т 27 s</u>	R 2 BE W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Business: Address: Address: Address: Address:								
, Address:	105		(	1212	1312 N. Gateway Wichita, Ks.			
City:	T	State: ZIP:				Hemry	WICHITY 110,	
3 LOCATE WELL	4 DEPTH	OF COMPLET	TED WELL:	.76 ft.	5 Latitud	le:	(decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Gro	undwater Encoun	tered: 1)	ft.	Longitude:(decimal degrees)			
N SECTION BOX:		ft. 3)			Dry Well Datum: WGS 84 NAD 83 NAD 27			
		ATIC WATER LI			Source	for Latitude/Longitude		
'   '		nd surface, measu					)	
NW NE		nd surface, measu ta: Well water wa			( 2.5 0			
$ \mathbf{w} $		ng						
1	Well water was ft.				س ب	inie iviapper		
SW SE	i ancinous pumpnig							
	1	eld:gpm			6 Elevation:			
S  1 mile	Bore Hole Diameter: in. to				d Source: Land Survey GPS Topographic Map Other			
mile  in. to								
1. Domestic:   1. D								
☐ Household		Dewatering: how						
☑ Lawn & Garden		Aquifer Recharge						
Livestock		Monitoring: well						
2.  Irrigation	9. Environmental Remediation: well ID.				, <u> </u>			
3. ☐ Feedlot			☐ Soil Vapor	Extraction				
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE?   Yes No If yes, date sample was submitted:								
Water well disinfected?				0.400	IC IOD III	<b>.</b>		
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Di								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass   PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)  SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From ft. to .73. ft., From ft. to .ft., From ft. to .ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank		ateral Lines	☐ Pit Privy		Livestock Pens		cide Storage	
Sewer Lines	☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
Watertight Sewer Lines								
Direction from well?			Distance from v	2(		Δ.		
10 FROM TO	LI	THOLOGIC LO	C	FROM			r PLUGGING INTERVALS	
Q I	707	PSOIL	<u>,,,                                  </u>	IROM		iiio. Log (cont.) o	T LOGOING INTERVALS	
1 15	Clo							
15 76	Shi							
	1819-19-1							
	-						Pr. 100 d. b	
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🔀 constructed, 🗌 reconstructed, or 🔲 plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Con	tractor's Licer	nse No 9.54	This W	ater Well Rec	ord was comp	oleted on (mo-day-y	ear)22315	
under the business name of Wehinger Drilling								
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.								

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html