WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER NWSedgwick NE 12 SE 1/4 27 1/4 1/4 Т 2E E/W Distance and direction from nearest town or city street address of well if located within city? 15407 E. Summerfield Wichita, Kansas **FAHSHOLTZ CONSTRUCTION** WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 11927 Shannonway Ct. Wichita Kansas CITY, STATE: ZIP CODE Application Number: 116 4 DEPTH OF COMPLETED WELL: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: ft. **ELEVATION:** Depth of groundwater Encountered: ft. ft WELL'S STATIC WATER LEVEL 45 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 11/24/15 Pump test data: Well water was ft. after hours of pumping @ -NW - NE gpm Well water was qpm ft. after hours of pumping @ gpm ₩ 12 Bore Hole Diameter to 116 in and ft. X WELL WATER TO BE USED AS 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 3. Feedlot 1. Domestic 12. Other (Specify below) 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO) submitted Was Water Well Disinfected? (YES) TYPE OF CASING USED: 5 9. Other (Specify below) CASING JOINTS: Clued 7. Fiberglass Threaded 5. Wrought Iron 1. Steel 3. RPM (SR) Clamped SDR-26 6. Asbestos-Cement 8. Concrete tile 2. PVC 4. ABS Blank casing diameter 5 50 tο ft.. Dia in. to ft.. Dia in. ft. to Casing height above land surface: 12 Weight: 2.35 lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 3. Stainless Steel 5. Fiberglass 9 ABS 11. Other (specify) 1. Steel 8. RMP (SR) 2. Brass 4. Galvanized 6. Concrete Tile 10. Asbestos-Cement 12. None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 3. Mill slot 1. Continuous slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 6. Wire wrapped 8. Saw cut 4. Key punched 10. Other (specify) SCREEN - PERFORATION INTERVAL 50 ft. 116 From to ft. From ft. to From ft. to ft From ft. ft. 24 **GRAVEL PACK INTERVALS:** ft. to 116 From ft.. From ft. ft. From to ft.. From ft. **GROUT MATERIALS** Other 1. Neat cement 2. Cement Grout bentonite hole plug 3. Bentonite Grout Intervals: 24 From ft.. From ft., From ft What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 15. Oil well/Gas well 13. Insecticide storage 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 9. Feed yard 12. Fertilizer storage 3. Watertight sewer line 6. Seepage pit West Direction from well? How many feet? 10 ft. plus LITHOLOGIC LOG From Τo From LITHOLOGIC LOG Τo n 3 topsoil 3 12 clay 12 45 brown shale 45 116 grev shale

7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 11/24/15 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/25/15

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp