

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgewick</u>		<u>1/4</u> <u>1/4</u> <u>1/4</u>	<u>24</u>	T <u>27</u> S	R <u>2</u> E/W
Distance and direction from nearest town or city street address of well if located within city?					
<u>329 Lancaster</u>					
2 WATER WELL OWNER: <u>MARK Cox Inc.</u>					
RR#, St. Address, Box #: <u>329 Lancaster</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code: <u>Wichita KS</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>100</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>34</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>34</u> ft. below land surface measured on mo/day/yr <u>6-17-98</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>10</u> in. to <u>100</u> ft. and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial <u>7 Lawn and garden only</u> 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No: If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes ☒ No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ☒ Clamped ☒ <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded					
Blank casing diameter <u>5</u> in. to <u>100</u> ft. Dia. in. to ft. Dia. in. to ft.					
Casing height above land surface <u>14</u> in. weight <u>1160</u> lbs./ft. Wall thickness or gauge No. <u>26</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot <u>3 Mill slot</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>20</u> ft. to <u>100</u> ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>25</u> ft. to <u>100</u> ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: <u>1 Neat cement</u> 2 Cement grout <u>3 Bentonite</u> 4 Other					
Grout Intervals: From <u>3</u> ft. to <u>25</u> ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well <u>2 Sewer lines</u> 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? <u>North</u> How many feet? <u>25</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>7</u>	<u>Top Soil</u>			
<u>7</u>	<u>9</u>	<u>Clay</u>			
<u>9</u>	<u>53</u>	<u>Blue shale</u>			
<u>53</u>	<u>64</u>	<u>Lime</u>			
<u>64</u>	<u>94</u>	<u>Shale</u>			
<u>94</u>	<u>97</u>	<u>Lime</u>			
<u>97</u>	<u>100</u>	<u>Shale</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-17-98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>611</u> This Water Well Record was completed on (mo/day/yr) <u>6-17-98</u> under the business name of <u>Chase Drilling</u> by (signature) <u>K. Chase</u>					