

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction		Section Number	Township Number	Range Number
County: SEDGWICK		NW 1/4 NW 1/4 SW 1/4		10	T 27 S	R 2 EW
Distance and direction from nearest town or city street address of well if located within city? 1/2 MILE NORTH OF 13 th ST. ON GREENWICH RD. WICHITA, KS MW# SAL - 13						
2 WATER WELL OWNER: RAYTHEON AIRCRAFT CO				Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: 9709 EAST CENTRAL				Application Number:		
City, State, ZIP Code: WICHITA, KS 67206						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 35 ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter: 7 1/4 in. to 35 ft., and in. to ft.				
		WELL WATER TO BE USED AS:				
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only X Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes No				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped X2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded						
Blank casing diameter 2 in. to 25 ft., Dia. in. to ft., Dia. in. to ft.						
Casing height above land surface 0 in., weight sched 40 lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass X7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot X3 Mill slot 0.10 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 35 ft. to 25 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 35 ft. to 23 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 20 1 Neat cement X2 Cement grout X3 Bentonite 23 3 Bentonite 20 4 Other						
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well X3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage						
Direction from well? WEST How many feet? 700						
FROM		TO		LITHOLOGIC LOG		FROM
TO						TO
01		1		DARK BRN CLAYEY SILT		
1		8		DARK BROWN SILTY CLAY		
8		15		OLIVE YELLOW STIFF PLASTIC SILTY CLAY		
15		17		LIGHT OLIVE BRN CLAYEY SILT		
17		20		OLIVE GREY SILTY CLAY		
20		21		LIME SILTSTONE		
21		24		OLIVE SILTY CLAY		
24		26		SILTY SHALE YELLOW BRN		
26		30		LIGHT OLIVE BRN VERY CLAYEY SILT		
30		32		SILTY SHALE		
32		34		CLAYEY SILT OLIVE BRN		
34		35		OLIVE BRN SILTY CLAY		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-28-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 575 This Water Well Record was completed on (mo/day/yr) 4-30-98 under the business name of KURTZ ENVIRONMENTAL SERVICE by (signature)						