WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER FRACTION RANGE NUMBER NWSW Sedgwick NE 1/4 1/4 12 27 S 2E Distance and direction from nearest town or city street address of well if located within city? 15216 Summerfield Wichita, Kansas WATER WELL OWNER: LEEWOOD HOMES Board of Agriculture, Division of Water Resource 3500 N. Rock Road RR#,ST. ADDRESS,BOX #: Wichita, Kansas CITY, STATE: ZIP CODE: Application Number: 92 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: ft. **ELEVATION:** WITH AN "X" IN SECTION BOX: ft. ft. Depth of groundwater Encountered: 38 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 9/24/16 Pump test data: Well water was ft. after NW NE. hours of pumping @ gpm Well water was ft. after Est. Yield: apm hours of pumping @ gpm Ξ Bore Hole Diameter 12 and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 1. Domestic 3. Feedlot 12. Other (Specify below) 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well 2. Irrigation ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO S Was Water Well Disinfected? (YES) submitted 5 TYPE OF CASING USED: CASING JOINTS: Clued 9. Other (Specify below) Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped SDR-26 6. Asbestos-Cement 8. Concrete tile 2. PVC 4. ABS 5 40 Dia. Blank casing diameter Dia ft. in. in to 12 2.35 in.. Weight: lbs. / ft. Wall thickness or gauge No. .214 Casing height above land surface: TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 11. Other (specify) 9 ABS 1. Steel 3. Stainless Steel 5. Fiberglass 8. RMP (SR) 6. Concrete Tile Asbestos-Cement 12. None used (open hole) 2 Brass 4 Galvanized SCREEN OR PERFORATION OPENINGS ARE: 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 1. Continuous slot 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) 40 92 SCREEN - PERFORATION INTERVAL ft. ft., From to ft. to ft. From to ft., From to ft. 24 **GRAVEL PACK INTERVALS:** ft. to 92 From ft., From ft. From ft. to From ft.. ft. to ft **GROUT MATERIALS** Other 6 bentonite hole plug 1. Neat cement 2. Cement Grout 3. Bentonite Grout Intervals: From 4 24 ft.. ft. ft. From ft. to What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 4. Lateral lines 1. Septic tank 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 5. Cess Pool 2. Sewer lines 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line South How many feet? 10 ft. plus Direction from well? LITHOLOGIC LOG From From To LITHOLOGIC LOG Τо tonsoil 3 20 clay 20 45 brown shale 45 grey shale Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and 9/24/2016 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. This water well record was completed on (mo/day/year) 9/26/2016 Kansas Water Well Contractor's License No. 236

by (signature)

under the business name of Harp Well and Pump Service

Todd S. Harb