WATER WELL R		WWC-5		sion of Water	1		
Original Record		ge in Well Use		urces App. No.		Well ID	
1 LOCATION OF W County: SEDGWIG		Fraction	1	ion Number 34	Township Number		
		SW1/4 NE 1/4 SE 1/4					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address check here:							
Address: 4FEO2 E DOCCWOOD							
Address:							
City: WICHITA	State: KS	ZIP: 67230	WICHITA, K	5 6/20/			
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:80ft.						(decimal degrees)	
WITH "X" IN		Encountered: 1)3					
2) ft., or 4) Dry Well				Longitude:			
1	WELL'S STATIC WATER LEVEL: 30 ft.					C INAD 65 LI INAD 27	
	e, measured on (mo-day-	yr) 05/09/2016					
NW NE	Dump test data: Well water was				(WAAS enabled? ☐ Yes ☐ No)		
				☐ Land Survey ☐ Topographic Map			
W		rs pumping water was 1		Online Mapper:			
SWSE	after hours pumping						
1 2	Estimated Yield:20gpm			6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter:10.5 in. to80 ft. and			Source: Land Survey GPS Topographic Map			
mile		in. to	ft.		Other	•••••••	
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID		10. ☐ Oil Fi	ield Water Supply: le	ase	
Household	6. Dewateri		11. Test Hole: well ID				
Lawn & Garden	Lawn & Garden 7. ☐ Aquifer Recharge: well ID				Cased Uncased Geotechnical		
2. Irrigation	-				12. Geothermal: how many bores?		
3. Feedlot Air Sparge Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water			
4. Industrial	☐ Recovery						
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Cosing diameter 5 in to 80 ft Diameter in to ft Diameter in to							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
SCREEN-PERFORATED INTERVALS: From .40 ft. to 80 ft., From ft., From ft., From ft.							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
■ Watertight Sewer Lines							
Other (Specify) Direction from well? NORTHWEST Distance from well? 23 ft.							
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS	
	TOP SOIL						
1 8	CLAY						
	SOFT LIMESTONE						
	HALE						
	GYP ROCK						
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .05/09/2016 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 05/24/2016							
under the business name of WENINGER DRILLING, LLC.							
Mail 1 white copy ale	ong with a fee of \$5.00 for ea	ch constructed well to: Kan	ısas Department	of Health and Env	rironment, Bureau of Wa	iter, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							