WATER WE			WWC-5			ion of Water				
	d Correction		ge in Well Use			rces App. No.		Well ID		
1 LOCATION OF WATER WELL: Fraction County: SEDGWICK Fraction NE' SE					Section Number Township Number Range Number					
	V 1/4 NE 1/4	T 27 S R 2 E W or Rural Address where well is located (if unknown, distance and								
2 WELL OWN Business: RAIN			First:					•		
A 11 O O TOA E WELL OOO DD									check here:	
Address:										
	HITA	State: KS	ZIP: 67218	MICHII	A, NO	01230				
3 LOCATE WEI							e:		(decimal decreas)	
WITH "X" IN	Doneth (a) C		Encountered: 1)				ıde: <u></u>			
N 2)								4 D NAD	83 NAD 27	
WELL'S STATIC WATER LEVEL:ft. Source for I							or Latitude/Longitude			
below land surface, measured on (mo-day-yr). 09302										
above land surface, measured on (mo-day-yr) Pump test data: Well water was										
w A							☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
	Well water was ft.						Otomic Mapper.			
SW SE -	SW SE after hours pumping gpm									
	gpm 7	· E	6 Elevation:ft. ☐ Ground Level ☐ To ft. and Source: ☐ Land Survey ☐ GPS ☐ Topographic M							
S	10.5 in to 7									
mile in. to										
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID										
Household										
Lawn & Garden 7. Aquifer Recharge: well ID										
Livestock							12. Geothermal: how many bores?			
2. Irrigation						a) Closed Loop				
3. Feedlot	_	Air Sparg		or Extraction	1		n Loop Surface Di			
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? ■ Yes □ No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to SDR-26.										
Casing diameter										
Casing neight above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Stainless Steel □ Fiberglass ■ PVC □ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From .30 ft. to .75 ft., From										
GRAVEL PACK INTERVALS: From23 ft. to										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From										
Grout Intervals: From										
Septic Tank		Lateral Line	es 🔲 Pit Priv	ru.		ivestock Pens	☐ Insecti	cide Storage		
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well										
■ Watertight Sewer Lines										
Other (Specify) Direction from well? EAST Distance from well? 12										
10 FROM TO		LITHOLO	GIC LOG	FRO	M	TO L	ITHO. LOG (cont.) or	r PLUGGIN	G INTERVALS	
0 1	TOP SOIL	····								
1 12	CLAY		· · · · · · · · · · · · · · · · · · ·							
12 23	LIMESTON							A		
23 70	SHALE						· · · · · · · · · · · · · · · · · · ·			
70 75	GYP									
				Nata		L		 		
Notes:										
									Ì	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) 09/30/2016 and this record is true to the best of my knowledge and belief.										
Kansas Water We	Il Contractor's Lic	ense No.	384 This	Water Wel	Reco	rd was comp	lettl on (mo-day-y	ear) 10/04	<i>1</i> 2016	
under the busines	s name of WENII	IGER DR	illing.llc		Sign	nature				
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
			00012-130/. Mail on				for your records. Teleph			
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										