		WATER WI	ELL RECORD	Form WV	VC-5 K	SA 82a-12	12		
1 LOCATION OF WAT	ER WELL:	FRACTION		1	TION NUMBE		IP NUMBER	RANGE NU	MBER
Sedgwick		SW 1/4	NE 1/4 SI	E 1/4	27	T 2	:7 s	R 2E	E/W
1		r city street address of well	•						
942 S. Glenn		Wichita, I							
2 WATER WELL		ARROLL, Jason	l				Board of Agri	culture, Division of Wa	ater Resource
RR#,ST. ADDRES		42 S. Glenmoor Vichita, Kansas		_	ID 0005		_		
		<del>, , ,</del>			IP CODE:	EL EL A TION	Application Nun	nber:	,
3 LOCATE WELL'S L	OCATION CTION BOX:	4 DEPTH OF COMP				ELEVATION:			
N N		Depth of groundwater		ft			ft.		ft.
		WELL'S STATIC WA			OW LAND SU		URED ON mo/o		16
-NW	·· NE- ·· ·		•	water was		ft. after		of pumping @	gpm
w W		Est. Yield:	1.0	water was	<b>75</b> ft.	ft. after		of pumping @	gpm
		Bore Hole Diameter WELL WATER TO B		to	75 ft.	and	in.	to na 11. Injec	ft.
sw	sE			water supply	7. Lawn a	and garden on	9. Dewateri	ng 12. Other (Sp	
		2. Irrigation 4.		d water supply			10. Monitorir		city below,
			iological sample submitted	to Department?	YES	NO		what mo/day/yr wa	=
		submitted			Was \	Water Well Disir	fected?	YES N	0
5 TYPE OF CA	SING USED: 3. RPN	5. Wrought	Iron 7. Fibergla	ass 9. C	ther (Specify	below) CA	SING JOINTS: (		Threaded
1. Steel	3. KEN	C A-h	-Cement 8. Concret	te tile SD	R-26			Welded	Clamped
Blank casing diame		,	30 ft., Dia.	in.	to	ft.,	Dia.	: 4-	4
	_	10	,					in. to	ft.
Casing height abov		12 in.,	Weight:	2.35	bs. / ft.	Wall th	nickness or gaug	ge No214	
TYPE OF SCREEN	OR PERFORA  3. Stainless Ste		7. PVC	9. A	ARS.	11 0	ther (specify)		
1	Galvanized	6. Concrete Ti			Asbestos-Cei		one used (open	hole)	
			0. 111111 (01	() 10. 7	13063103-061	12.11	one asca (open	noic)	
SCREEN OR PERF			Saumadaanaad	7 <b>T</b> .	and and	0.0-:	led holes	11 None ( or	non holo)
1. Continuous sid			Sauzed wrapped		orch cut			11. None ( o	jen noie)
2. Louvered shutt	ter 4. Ko	ey punched 6. V	Vire wrapped	(8. <b>S</b> a	w cut	10. Oth	er (specify)		
SCREEN - PERFOR	ATION INTERV	'AL From	<b>30</b> ft.	to 75	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PA	ACK INTERVAL	S: From	<b>24</b> ft.	to <b>75</b>	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATER	RIALS: 1 N	leat cement	2. Cement Grout		3. Bentonite			onite hole plu	
Grout Intervals:	From	4 ft. to	24 ft., From			ft.,	From	ft. to	<b>5</b> ft.
What is the nearest source of possible contamination:									
1. Septic talk						15. Oil well/Ga			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below								cify below)	
3. Watertight sew		epage pit 9.	Feed yard	12. Fertilize	r storage				
Direction from well?	East					How m	any feet? 20 f		
From To		LITHOLOGIC	LOG	From	To		LITHOLC	GIC LOG	
0 3	topsoil			<del></del>	<del> </del>				
3 8 8 65	clay								
65 75	gray shale limestone				<del>                                     </del>	1			
	Innestone								
					<u> </u>				
					ļ				u <del></del>
	-				-				
					1				
7 Contractor's or	Landowner's C	ertification: This water	well was 1. construc	ted 2. re	constructed	d or 3.	plugged	under my jurisdiction	on and
was completed or	(mo/day/vear)	11/04/2016	and this reco			knowledge and	belief.		
Kansas Water We					•	on (mo/day/ye		7/2016	
						`		7/2016	
under the busines	sname of Ha	rp Well and Pun	np Service	by (si	gnature)	<i>T</i> -	odd S	. Harp	
	<del></del>								