WATER WELL R		WWC-5		ion of Water			
Original Record		ge in Well Use		rces App. No.		Well ID	
1 LOCATION OF W	ATER WELL:	Fraction	I	ion Number	Township Numb		ge Number
County: SEDGWICK NW¼ SE¼ SW¼ NE¼ 36 T 27 S R 2 ■ E							
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:							
Address: 8550 NW PARALLEL RD City: TOWANDA State: KS 7/D: 67144							
City: TOWAND		ZIP: 67144	VICHITA, K	5 67230			
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:60							
WITH "X" IN		Encountered: 1)18			le:		
SECTION BOX:					l Datum: WGS 8	4 □ NAD	83 NAD 27
14	WELL'S STATIC WATER LEVEL:						
	below land surface		(unit make/model:				
NW NE	above land surface		WAAS enabled?		(o)		
1 ot						aphic Map	
W E	Well		☐ Online Mapper:				
SW SE	after hour						
	Estimated Yield: 25	6 Elevation:					
S	Bore Hole Diameter: 10.5 in to 60 ft. and Source: Land Survey GPS Topographic M						1
1 III. U II. U II.							
7 WELL WATER TO BE USED AS:							
1. Domestic:	5. Public Water Supply: well ID			10. ☐ Oil Field Water Supply: lease			
Lawn & Garden	7. Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock		ng: well ID		12. Geothermal: how many bores?			
2. Irrigation	9. Environment	a) Closed Loop					
3. Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction ☐ Di Open Loop ☐ Surface Discharge ☐ Inj. o						
4. Industrial	☐ Recovery				(specify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No							
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel Fiberglass ■ PVC Other (Specify)							
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .30 ft. to 60 ft., From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Crout Intervals: From							
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
■ Watertight Sewer Lines							
☐ Other (Specify) Direction from well? NORTHEAST Distance from well? 75+ ft.							
	I ITHOLO	Distance from we					CINTEDUALS
10 FROM TO	LITHOLO TOP SOIL	GIC LUG	FROM	TO LIT	THO. LOG (cont.) or	LLUGGIN	JINIEKVALS
	CLAY		 				
	SHALE		 				
	GYP		1				
		• <u>, </u>					
			Notes:	L			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .10/19/2016 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on mo-day-year) 10/27/2016 under the business name of WENINGER DRILLING. LLC							
Mail 1 white copy alo	ong with a fee of \$5.00 for ea	ch constructed well to: Kan	sas Department o	of Health and Env	ironment. Bureau of W	ater, GWTS	ection.
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							