		WATER W	ELL RECO	ORD F	orm WV	VC-5 K	SA 82a-12 ⁻	12				
1 LOCATION OF WATE	R WELL:	FRACTION				TION NUMBER	i	TOWNSHIP NUMBER		RANGE NUMBER		
Sedgwick		SE 1/4	NE 1/4		1/4	3	т 2	7 s	R	2E E∕W		
Distance and direction fro	•			city?								
2903 N. Woo		ARATH, IAN	ta, Kansas									
2 WATER WELL		-						Board of Agri	iculture, Division	of Water Resou	urce	
RR#,ST. ADDRESS		N. Woodridį nita, Kansas	ge		7	D CODE:		Application Nue	nhae:			
_				. 10		P CODE:	ELEVATION:	Application Nun	noer:			
OCATE WELL'S LOW	CTION BOX:	DEPTH OF COMP					ELEVATION:					
N N		pth of groundwate			ft.			ft.		ft.		
		ELL'S STATIC WA		50		W LAND SU	RFACE MEAS		• • •	./1/1 7		
	NE- 🔼		mp test data:	Well wat			ft. after		of pumping @	·	gpm	
w Mile	, ,	Est. Yield:	gpm r 12	Well wat			ft. after		s of pumping @	3 6	gpm	
<u></u>	'	ore Hole Diamete		in.	to 1	l 00 ft.	and	in.	to	alaatianall	ft.	
sw	WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)											
	1. Domestic 3. Pediot 5. Public water supply 1. Lawn and galven only 12. Other (Specify below 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well											
		Vas a chemical/bacte				YES	NO	; If yes,	what mo/day/y	r was sampl	le	
	su	bmitted				Was V	Vater Well Disin	fected? (YES	NO		
5 TYPE OF CAS		5. Wrought	t Iron 7	. Fiberglass	9. O	ther (Specify	below) CAS	SING JOINTS: (Glued	Threade	:d	
1. Steel	3. RPM (SF	R) 6. Asbesto		. Concrete ti	sD	R-26			Welded	Clamped	d	
2. PVC	> 4. ABS											
Blank casing diamet	er 5	in. to	50 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.		
Casing height above	e land surface:	12 in.,	,	Weight:	2.35	bs. / ft.	Wall th	ickness or gau	ge No2	14		
TYPE OF SCREEN				DVO.			44.0	h (:£.)				
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
2. Brass	2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERF												
1. Continuous slo	t 3. Mill sl	ot 5.	Gauzed wrapp	ped	7. To	rch cut	9. Dril	led holes	11. None	(open hole	1)	
2. Louvered shutt	er 4. Key p	unched 6.	Wire wrapped		(8. Sa	w cut	10. Oth	er (specify)				
SCREEN - PERFOR	ATION INTERVAL	From	50 ft.	to	100	ft.,	From	ft.	to	ft	t.	
		From	ft.	to		ft.,	From	ft.	to		t.	
GRAVEL PA	ACK INTERVALS:	From	24 ft.	to	100	ft.,	From	ft.	to	ft		
		From	ft.	to		ft.,	From	ft.				
a L CROUT MATER	MALC						110111		to		t.	
6 GROUT MATER	1. Noat	cement	2. Cement			3. Bentonite			onite hole		_	
Grout Intervals:	110111	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft.	to	ft.	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage								15. Oil we	II/Gas well			
2. Sewer lines	5. Cess F	Pool 8	S. Sewage lago	on 1	1. Fuel sto	rage	14. Aband	on water well	16. Other	(specify belo	ow)	
			. Feed yard	1	2. Fertilize	r storage						
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Direction from well? West						_	How m	any feet? 10	ft. plus			
From To		LITHOLOGI	C LOG		From	То		LITHOLO	GIC LOG			
0 3	topsoil											
3 8	clay				ļ							
8 60	brown shale				ļ	-						
60 94	gray shale					-						
94 100	limestone				 	†						
						 						
						-						
					 	 						
	+				<u> </u>	-						
	 								777-1			
7 Contractorio co	Landowner's Cortif	ication: This water	r well was 1	constructs	<u> </u>	constructor	l or 3.	plugged	under my jude	diction and		
was completed on	(mo/day/year)	2/1/1/				-	-					
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/6/17												
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb												