			WATE	R WELL F	RECOR	D Fo	orm WV	VC-5 K	SA 82a-1	212			
1 LOCATIO	ON OF WATE	R WELL:	FRACTION	··				TION NUMBER		HIP NUMBER	RANGE	NUMBER	
☐ Sedg			NE	1/4 NW	17-4		1/4	9	Т	27 s	R 2	E E/W	
l .			city street address		•	?							
		merfield C	t.	Vichita, K									
ᅠ	ER WELL C ADDRESS		342 W. 21st I		JN					Board of Ag	riculture, Division of	Water Resource	
7(10#,01)			ichita, Kans				<i>7</i> 1	P CODE:		Application Nu	mber:		
3 LOCAT	E WELL'S LC		4 DEPTH OF C		WELL:	70	ft.	, 0002.	ELEVATION				
WITH	N "X" IN SEC	CTION BOX:	Depth of ground				ft.			ft.		ft.	
	· i		WELL'S STATION			42	FT. BELO	W LAND SU	IRFACE MEA	SURED ON mo/	/dav/vr: 11/	/1/16	
	-NW	NE		Pump test	data:	Well water			ft. after		s of pumping @	gpm	
<u>o</u>	,	i	Est. Yield:	gpr		Well wate	r was		ft. after	hour	s of pumping @	gpm	
w Wile		X	Bore Hole Dia		12 in.		to 7	70 ft.	and	in.	to	ft.	
_	sw	- SE-	WELL WATER 1. Domestic	TO BE USED 3. Feedlo		uhlic wate	r eunnly	C7 Lawn a	nd garden o	9. Dewater	9	ection well	
	,		2. Irrigation	4. Industr		il field war				10. Monitori		Specify below	
	S		Was a chemical					YES	(NO)		what mo/day/yr	was sample	
			submitt e d					Was V	Vater Well Dis	infected?	(YES)	NO	
I~ I		SING USED: 3. RPM	5. Wr	ought Iron	7. Fit	perglass	9. O	ther (Specify	below) C	ASING JOINTS:	Glued	Threaded	
	I. Steel 2. PVC	3. RPM 3. ABS		estos-Cemer	nt 8. Co	oncrete tile	SDI	R-26			Welded	Clamped	
	sing diamete	_	in. to			Dia.	in.	to	ft.,	Dia.	in. to	ft.	
	•	_	10		•				-		-		
	-	land surface:		n.,	Wei	gnt: 4	II	os. / ft.	vvaii	thickness or gau	ige No214	4	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)													
2. Bras	ss 4	. Galvanized	6. Conci	rete Tile	8. RM	IP (SR)	10. A	sbestos-Cen	nent 12.	None used (oper	n hole)		
SCREEN	OR PERFO	RATION OPEN	INGS ARE:										
1. Conti	nuous siot	3. M I	li siot	5. Gauzed	wrapped		7. To	rch cut	9. D	rilled holes	11. None (open hole)	
2. Louve	ered shutte	or 4. Ke	y punched	6. Wire wr	apped		(8. Sa	w cut	10. O	ther (specify)			
SCREN	DEDECIDA	TION INTERV	•	40	ft.	to	70	ft.,	From			-	
JORLEN	- F LAT OIG	(IIOIT IIT LAV	From	70	ft.	to	70	ft.,	From	ft.	to	ft.	
	BAVEL DA	CK INTERVALS		24	ft.	to	70	ft.,	From	ft.	to	ft.	
	IVAVEL I A	OK IIII EKVAL			ft.		70			ft.	to	ft.	
o L CROI	JT MATERI	ALC:	From			to		ft.,	From	ft.	to	ft.	
<u> </u>	Ji MAIERI Intervals:	1. 140	eat cement 4 ft.	2. C e to 24	ement Gro		3. Bentonite				tonite hole p	•	
		From ource of possible	•	10 24	ft.,	From	ft.	to	ft.,	ft., From ft. to			
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy							0. Livestock pens		13. Insecticide storage		15. Oil well	15. Oil well/Gas well	
2. Sewe	r lines	5. Ce :	ss Pool	8. Sewag	e lagoon	11	. Fuel sto	rage	14. Aba	ndon water well	16. Other (s	pecify below)	
3. Water	rtight sewe		epage pit	9. Feed y	ard	12	. Fertilizeı	r storage					
Direction from well? South								T	How	many feet? 50			
From	To		LITHOLC	GIC LOC	<u> </u>		From	То		LITHOLO	OGIC LOG		
3	12	topsoil clay	<u> </u>							******	·		
12	70	grey shale											
						-			·				
								 					
											·		
													
		ļ						<u> </u>					
		 											
7 Cont	tractor's or L	andowner's Ce	ertification: This v	vater well was	1. Cons	structed) 2. red	constructed	or 3.	plugged	under my jurisdic	ction and	
		(mo/day/year)	11/01/2						knowledge an		- ·		
l			N- 000		-						2/2017		

y/year) 11/03/2016 Todd S. Harp

under the business name of Harp Well and Pump Service

by (signature)